CRITICAL AREAS REPORT AND MITIGATION PLAN

Spokane County Parcel # 14192.0002 S19, T24N, R41E

December 2024

Prepared by:
Environmental Inc.
/Advanced Wetland Studies
Rathdrum, ID 83858
208.651.4536
davidAarmes@gmail.com

EXECUTIVE SUMMARY AND FINDINGS

Environmental Inc. was retained to complete a Critical Areas Report and Mitigation Plan (Report) for Spokane County Parcel #14192.0002 (Property). No net loss to the functions or values of wetlands and associated buffer will occur.

This Critical Areas Report and Mitigation Plan was completed on behalf of and for the exclusive use of the client and/or its agents, consultants, and contractors. The scope of services performed to complete this report may not be appropriate to satisfy the needs of other users, and any other use or re-use of this report is at the sole risk of said user. The findings and conclusions contained in this report are based upon the currently accepted legal and regulatory requirements, agency guidance, and the best professional judgment of the preparer. The findings presented herein apply to those conditions observed on the site at the time of the evaluation. The timing of the field evaluation may not always coincide with the growing season, identifiable phenological stages of vegetation, or during the hydrological active (wet) season. Often time's secondary indicators, interpretation of vegetation and hydrology indicators and best professional judgment may be required to determine the presence or absence of wetlands. Future environmentally significant changes may occur at the site, which could result in future findings and conclusions differing from those contained in this report. Findings in this report may require future agency permitting or approvals.

Prepared by:

David A. Armes
Qualified Wetland Biologist
Environmental Inc.
Advanced Wetland Studies
Rathdrum, ID 83858
208.651.4536
davidAarmes@gmail.com

2

TABLE OF CONTENTS

EXECUTIVE SUMMARY AND FINDINGS	2
1. BACKGROUND	
2. CRITICAL AREAS	
2.1 WETLAND AREAS	
3. MLMC 10.10.060 APPROVAL CRITERIA	5
3.1 AVOIDANCE (MLMC 17.10.060 A) 3.2 MINIMIZATION (MLMC 17.10.060 B) 3.3 COMPENSATORY MITIGATION (MLMC 17.10.060 C) 3.4 NO NET LOSS (MLMC 17.10.060 D) 3.5 CONSISTENT WITH GENERAL PURPOSES (MLMC 17.10.060 E) 3.6 PERFORMANCE STANDARDS (MLMC 17.10.060 F)	
4. IMPACTS	
4.1 WETLAND AND WETLAND BUFFER IMPACTS	
5. COMPENSATORY MITIGATION AND PLANTING PLANPLAN	8
5.1 WETLAND ENHANCEMENT	9
REFERENCES	11
APPENDIX A. RING LAKE SUBDIVISION PRELIMINARY PLAT	12
APPENDIX B. AQUATIC RESOURCE DELINEATION REPORT	13
MILENDIA D. MYOMIIC RESOURCE DELINEATION RELORI	

1. BACKGROUND

Environmental Inc. was retained to complete a Critical Areas Report and Mitigation Plan (Report) for Spokane County Parcel #14192.0002 (Property). The Property is 38.25 acres and is located in the city of Medical Lake, Spokane County, Washington in Section 19, Township 24N, Range 41E. This Report was completed in accordance with Chapter 17.10 Critical Areas of the Medical Lake Municipal Code (MLMC).

Environmental Inc. completed a site visit on September 25, 2024. Environmental Inc. is listed on the Spokane County Qualified Wetland Consultant list and has over 25 years of experience completing wetland and habitat plans, documentation, reporting and permitting.

Applicant

Defender Developments Mr. Steve Emtman 512 1st Street Cheney, Washington 99004 509-499-9349 emtman@me.com

Project Description

The project consists of construction for approximately 106 single-family residential lots on an R3-zoned parcel. The project is understood to include site grading with storm drainage, piping structures and ponds, new sanitary sewer, water and franchise utility infrastructure with stubs to each residential lot. (Project) (Appendix A. Ring Lake Subdivision Preliminary Plat). The type of permit being requested is a preliminary plat.

No Net Loss Determination

No net loss of functions will occur in the critical areas as a result of the proposed Project.

Chapter 17.10.020 General Provisions states "No Net Loss of Functions. Activity shall result in no net loss of functions and values in the critical areas. Since values are difficult to measure, no net loss of functions and values means no net loss of functions. The beneficial functions provided by critical areas include, but are not limited to, water quality protection and enhancement; fish and wildlife habitat; food chain support; flood storage; conveyance and attenuation of flood waters; ground water recharge and discharge; and erosion control. These beneficial functions are not listed in order of priority. This chapter is also intended to protect residents from hazards and minimize risk of injury or property damage."

In accordance with Chapter 10.10.060 Approval Criteria of the MLMC, this Report outlines the process of avoiding impacts, minimizing impacts and compensatory mitigation to ensure the Project protects the critical area functions and values and results in no net loss of critical area functions and values.

2. CRITICAL AREAS

A Ring Lake Estates Aquatic Resource Delineation Report (Wetland Report) (Appendix B. Aquatic Resource Delineation Report) was completed in July 2021. The aquatic resources delineated on the

Property included five wetlands (Wetlands 1-5; Section 2.1), no streams or additional surface waters were identified.

In addition, the Washington Department of Fish and Wildlife (WDFW) Priority Habitat and Species (PHS) Map was obtained to determine the potential presence of any PHS critical areas on the Property (Section 2.2).

During the September 25, 2024 site visit, the accuracy of the wetland boundaries, categories, and delineation was confirmed to be accurate and consistent with what was observed on the Property. Potential PHS occurrences were also evaluated and discussed in Section 2.2.

2.1 Wetland Areas

The Wetland Report identified five wetland areas (Wetlands 1-5) and categorized and rated Wetlands 1-5 as depressional wetlands based upon the 2014 Washington State Wetland Rating System for Eastern Washington (Hruby, 2004). Wetland buffers were determined using Table 17.10.090 (3) Buffer Widths for Medium Intensity Uses or High Intensity Uses that have minimized impacts via Table 17.10.090 (5). The minimization requirements listed in Table 17.10.090(5) are discussed in Section 3.2. Wetlands 1-5 are discussed in detail in the Wetland Report, below are the wetland categories and associated buffers (Table 1. Wetland Category and Buffer). The land use intensity utilized for the buffer determination is "high", outlined in Table 17.10.090 (1) Land Use Intensities.

Wetland	Category	Size (acres)	Habitat Score	Buffer (feet)
1	II	0.55	6	120
2	I	0.41	6	120
3	II	1.79	6	120
4	II	1.18	6	120
5	III	0.028 (1220sf)	5	90

Table 1. Wetland Category and Buffer

2.2 Washington Department of Fish and Wildlife Priority Habitat and Species

PHS mapping was evaluated and a report was generated (Appendix C. WDFW PHS Report). The PHS Report indicated the potential presence of wetlands (Medical Lake Wetlands), freshwater pond (aquatic habitat), freshwater emergent wetlands (aquatic habitat), and shrubsteppe (Spokane County Presumptive Shrubsteppe).

The wetland and aquatic habitat features were determined to be present on the Property and synonymous with the locations of Wetlands 1-5. The Property does not meet the WDFW definition of shrubsteppe, as such Spokane County Presumptive Shrubsteppe is not present on the Property.

3. MLMC 10.10.060 APPROVAL CRITERIA

Avoidance, minimization and compensatory mitigation measures were implemented in accordance with MLMC 17.10.060 Approval Criteria items A-F. MLMC 17.10.060 states "Any activity or development subject to this chapter, unless otherwise provided for in this chapter, shall be reviewed and approved, approved with conditions, or denied based on the proposal's ability to comply with all of the following criteria. The city may condition the proposed activity as necessary to mitigate impacts to critical areas and their buffers and to conform to the standards required by this chapter. Activities shall protect the functions of the critical areas and buffers on the site."

3.1 Avoidance (MLMC 17.10.060 A)

The Project was designed to avoid impacts that potentially degrade the functions and values of critical areas. Direct wetland impacts and wetland buffer impacts were avoided to the extent practical during the design and development of the Project.

3.2 Minimization (MLMC 17.10.060 B)

Where avoidance was not feasible, impacts of the Project were minimized to the extent necessary to achieve the purpose of the Project and meet the purpose of the MLMC ordinances. Fragmentation of Critical Areas present on the Property was avoided and minimized to the extent practical.

The following measures (in accordance with Table 17.10.090(5)) will be implemented to minimize impacts on wetlands:

- Lights will be directed away from wetland areas to the extent practical.
- Existing buffers will be enhanced with native vegetation plantings adjacent to the potential noise sources.
- Untreated runoff will not be discharged directly into wetland areas. Runoff will be treated in accordance with MLMC requirements.
- Wetlands will not be dewatered.
- Covenants will be established limiting the use of pesticides within wetlands and wetland buffers (unless otherwise needed for the treatment of invasive species as outlined in any future mitigation or management plans).
- Channelized untreated stormwater flow will not enter directly into wetland buffers.
- New runoff from impervious surfaces and new lawns will infiltrate or be treated, or detained or dispersed into wetland buffers.
- Privacy fencing or dense vegetation, when necessary, will be utilized along the wetland buffer edge minimizing disturbance.
- Best management practices will be utilized to control dust.

3.3 Compensatory Mitigation (MLMC 17.10.060 C)

After implementing the avoidance and minimization measures discussed above, unavoidable impacts were evaluated. Unavoidable impacts (discussed in Section 4. Impacts) will be compensated by replacing each of the affected functions to the extent feasible (discussed in Section 5. Compensatory Mitigation and Planting Plan. The compensatory mitigation is designed to achieve the functions as soon as practicable, will be in-kind and on-site and sufficient to maintain the functions of the critical area.

3.4 No Net Loss (MLMC 17.10.060 D)

The proposed Project, implements avoidance, minimization and compensatory mitigation measures to ensure protection of the critical area functions and values. As such, no net loss of critical area functions and values will occur as a result of this Project.

3.5 Consistent with General Purposes (MLMC 17.10.060 E)

The proposed Project is consistent with the general purposes of this chapter and does not pose a significant threat to the public health, safety or welfare on or off of the Property.

3.6 Performance Standards (MLMC 17.10.060 F)

The proposed Project meets the performance standards of Section 17.10.070.C Fish and Wildlife Habitat Conservation Areas, Section 10.10.080.D Frequently flooded areas, and Section 17.10.090.F Wetlands.

Section 17.10.070.C Fish and Wildlife Habitat Conservation Areas

General:

- A. Avoidance, minimization and compensatory mitigation measures outlined in Sections 3.1, 3.2 and 3.3 will ensure no net loss of functions will occur. Wetland habitats and associated wetland buffered will be protected to the extent practical.
- B. Any potentially lost functions will be replaced by restoration or enhancement measures.
- C. Development and clearing will be avoided in critical habitat areas, and when unavoidable functions will re restored and enhanced.
- D. Signage will be placed in critical areas.

Riparian Management Zones:

- A. No net loss of riparian management zones will occur.
- B. When necessary, native plantings will be utilized to enhance riparian management zones.

Section 10.10.080.D Frequently flooded areas

Special flood hazard areas will not be affected by the proposed Project.

Section 17.10.090.F Wetlands

Avoidance, minimization and compensatory mitigation measures will ensure no net loss of wetland or buffer functions shall occur as a result of the proposed Project.

4. IMPACTS

4.1 Wetland and Wetland Buffer Impacts

Wetland 1

No impacts will occur to Wetland 1 or the associated buffer. Buffer averaging will be utilized to avoid and minimize potential impacts to the wetland buffer, including the functions and values (discussed in Section 4.2).

Wetland 2

No impacts will occur to Wetland 2. Buffer averaging will be utilized to avoid and minimize potential impacts to the wetland buffer, including the functions and values (discussed in Section 4.2).

Wetland 3

No impacts will occur to Wetland 3. Buffer averaging will be utilized to avoid and minimize potential impacts to the wetland buffer, including the functions and values (discussed in Section 4.2).

Wetland 4

No impacts will occur to Wetland 4 or the associated buffer.

Wetland 5

Wetland 5 will be removed, resulting in 0.028 acres (1,220 square feet) of wetland impacts to Wetland 5 and 0.73 acres of Wetland 5 buffer (90 foot buffer). Unavoidable impacts to Wetland 5 and the associated wetland buffer will be mitigated as discussed in Section 5. Compensatory Mitigation and Planting Plan.

4.1 Wetland Buffer Impacts and Averaging

Wetland buffer averaging will be completed in accordance with MLMC 17.10.090 Wetlands F. Performance Standards 2. Wetland buffers h. Wetland Buffer Width Averaging. This section states:

"The buffer width may be modified in accordance with an approved critical areas report on a case-bycase basis by averaging buffer widths. Buffer width averaging shall not be used in combination with a minor exception. Averaging of buffer widths may only be allowed where a qualified professional wetland scientist demonstrates that:

- i. Such averaging will not reduce wetland functions or functional performance; and
- ii. The wetland varies in sensitivity due to existing physical characteristics, or the character of the buffer varies in slope, soils, or vegetation, and the wetland would benefit from a wider buffer in places and would not be adversely impacted by a narrower buffer in other places; and
- iii. The total area contained in the buffer area after averaging is no less than that which would be contained within the standard buffer; and
- iv. The buffer width is reduced by no more than twenty-five percent of the standard width and at no point to less than twenty-five feet."

The proposed wetland buffer averaging:

- will not reduce wetland functions or functional performance;
- will benefit the wetland from a wider buffer in in places and will not be adversely impacted by a narrower buffer in other places;
- the total area contained in the buffer area after averaging is no less than that contained in the overall standard buffer; and
- the buffer width is not reduced by more than twenty-five percent of the standard buffer width.

Overall existing wetland buffers will be reduced by 38,570 square feet and increased by 40,280 square feet, for a net increase in overall wetland buffer square footage.

5. COMPENSATORY MITIGATION AND PLANTING PLAN

A total of 0.028 acres (1,220 square feet) of impacts will occur to Wetland 5. Wetland impacts were avoided and minimized to all practical extents. As such, compensatory mitigation will be completed in accordance with MLMC Section 17.10.090 Wetlands H. Compensatory Mitigation. Wetland 5 is a small, seasonal isolated wetland offering little in overall functions and values when compared to the other four wetlands (Wetlands 1-4) on the Property. The lost wetland provides minimal functions, the proposed compensatory mitigation action discussed below will provide equal or greater functions.

5.1 Wetland Enhancement

Wetland enhancement will be implemented. The existing buffer of Wetlands 2 and 3 will be enhanced by planting additional native trees and shrubs. The function of the contiguous Wetland 2 and 3 buffer is

limited as a result of a fire damaging the woody vegetation within the buffer. As such, enhancing the existing buffer will restore habitat and water quality functions of Wetland 2 and Wetland 3 and the associated buffer. The proposed enhancement area is also located between the wetland and the proposed development, resulting in improvements to the overall wetland habitat by reducing disturbances.

Wetland enhancement will be completed in accordance with Table 17.10.090 (6) Wetland Mitigation Ratios. Wetland 5 is a category III wetland; enhancement will be completed at an 8:1 ratio. A total of 0.028 acres of wetland impacts will occur, as such 0.224 acres (9,760 sf) of enhancement is proposed (Appendix A. Ring Lake Subdivision Preliminary Plat). Plantings will be utilized within the wetland enhancement area in accordance with the Planting Specification identified below.

5.2 Planting Specifications

A total of 100 plantings will be installed within the Enhancement Area. The quantity of plantings was determined by using 10 foot spacing (100 SF per planting) between plantings extrapolated over the 9,760 square foot enhancement area (9,760/100=97.6). All proposed mitigation plants are native to Spokane County.

The following quantity, species and size may be utilized for planting. As needed, modifications may be required due to planting stock availability. The city of Medical Lake will be notified in writing should any species substitutions be required due to availability.

Proposed Plantings:

- 25 quaking aspen (*Populus tremuloides*) one gallon container stock;
- 25 ponderosa pines (*Pinus ponderosa*) one gallon container stock; and
- 50 serviceberry (*Amelanchier alnifolia*) one gallon container stock.

Specifications:

- The corners of the Enhancement Area will be staked on site.
- Ten foot spacing was utilized to determine planting density. Actual placement of plants may vary based upon site conditions utilizing in part a "fit in the field approach" in which best professional judgment will be utilized to maximize species survivorship and species contribution to the overall functions and values of the site. This may include grouping of plants within the Enhancement Area.
- Individual plantings will be tagged, numbered and documented by species for future monitoring purposes.
- Plantings shall occur in the spring at the beginning of the first growing season or in the fall at the end of the first growing season when plants are dormant following the disturbances.
- Plants shall be "watered in" at the time of planting. Soil should be packed firmly around the plantings with no pockets or air holes.
- Hand watering or irrigation may be necessary during the first few years and during the drier seasons.
- It is recommended that a 24" diameter weed mat could be placed and staked down around the newly installed plantings, with the planting in the center. Additionally protective measure could include the use of a plastic protective sleeves.

• Should animal browsing cause excessive plant loss, it is recommended that individual plantings, groups of plantings or the entire Enhancement Area be fenced with five foot tall wildlife exclusionary fencing, which could include welded wire fencing or other equivalent.

5.3 Monitoring

Plantings will be monitored for five years. The overall goal and objective of the mitigation plantings is to enhance the wetland and wetland buffer area. The goals and objectives will be accomplished by achieving an overall survivorship of 80% of the plantings (100 plantings x 80% = 80 plantings) at the end of the five year monitoring period.

Plantings will be monitored annually for five years to ensure survival rates are sufficient to meet the goals and objectives. In the event the overall survivorship falls below 80% during the monitoring period, additional plantings will be placed to ensure the overall survivorship numbers are at or above the 80% goal.

An initial Compliance Report documenting the plantings have been installed will be submitted to the city of Medical Lake upon completion of the installation of the plantings. This will include the number of installed plants by species, photo documentation, and the receipt of purchase (as needed).

Annual monitoring will occur in years 1, 2, 3, 4 and 5 following the installation of the enhancement plantings. Annual monitoring reports will document the number of surviving plantings by species, provide photo documentation and will include any recommendations or contingency actions.

REFERENCES

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. *Classification of Wetlands and Deepwater Habitats of the United States*. FWS/OBS-79/31. Office of Biological Services, USFWS, Washington D.C.

Environmental Laboratory. 1987. *Corps of Engineers wetlands delineation manual*. Technical Report Y-87-1. Vicksburg, MS: U.S. Army Engineer Waterways Experiment Station. (http://el.erdc.usace.army.mil/wetlands/pdfs/wlman87.pdf)

Hitchcock, C.L., A. Cronquist, M. Ownbey, and J.W. Thompson. 1973. *Vascular Plants of the Pacific Northwest*. University of Washington Press. Seattle, Washington.

Hitchcock, C.L., A. Cronquist. 1994. Flora of the Pacific Northwest. University of Washington Press, Seattle, WA.

Hruby, T. 2004. Washington State wetland rating system for eastern Washington – Revised. Washington State Department of Ecology Publication # 04-06-15.

Munsell Soil Color Charts. 2009. Munsell Color. Grand Rapids, MI.

Spokane County Critical Areas Ordinance. Spokane County. 2018 (Revised).

United States Army Corps of Engineers. 2008. Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region, ed. J. S. Wakeley, R. W. Lichvar, and C. V. Noble. ERDC/EL TR-08-13. Vicksburg, MS: U.S. Army Engineer Research and Development Center.

United States Army Corps of Engineers (USACE) 2018. National Wetland Plant List, version 3.4. http://wetlandplants.usace.army.mil. U.S. Army Corps of Engineers. Engineer Research and Development Center. Cold Regions Research and Engineering Laboratory, Hanover, NH

United States Fish and Wildlife Service. 2016. *National List of Vascular Plant Species that Occur in Wetlands: Summary*. United States Department of the Interior, United States Fish and Wildlife Service. Washington D.C.

United States Fish and Wildlife Service. 2018. *National Wetlands Inventory (NWI)*. *Wetlands Mapper*, United States Department of Interior. U.S. Fish and Wildlife Service. Washington D.C.

United States Fish and Wildlife Service. National Wetland Inventory Data for Washington. http://www.fws.gov/wetlands/.


U.S. Geological Survey. 2006. 1:24,000. United States Geological Survey Denver, Colorado. Maptech, Inc. 1998. Version 3.01 Greenland, New Hampshire.

U.S. Geologic Survey (USGS). 1998. *USGS Topographic*, 7.5 minute series topographic maps. Maptech, Inc. Version 3.01 Greenland, New Hampshire

Washington Department of Ecology (Ecology). 2014. Washington State Wetlands Rating System for Eastern Washington.

Appendix A. Ring Lake Subdivision Preliminary Plat

Wetland Delineation Report 12/9/2024



Appendix B. Aquatic Resource Delineation Report

Wetland Delineation Report 12/9/2024

Ring Lake Estates Aquatic Resource Delineation Report

Location: Medical Lake, WA

July 2021

Prepared for:

Defender Developments Steve Emtman 512 1st St Cheney, WA 99004 (509) 499-9349 emtman@me.com

Prepared by:

Resource Planning Unlimited, Inc.
Shelly Gilmore
1406 East F Street
Moscow ID 83843
(208) 883-1806
rpu@turbonet.com

Report Summary

The project site is approximately 31 acres near the southern side of Medical Lake, Washington. The aquatic resources delineated within the survey area included five wetlands; no tributaries or other aquatic resources were identified.

The wetlands were categorized and rated as depressional wetlands. Wetland 2 rated as Category I, Wetlands 1, 3, and 4 rated as Category II, and Wetland 5 rated as a Category III wetland.

-

¹ Hruby, T. 2004. Washington State Wetland Rating System for Eastern Washington-Revised. Washington State Department of Ecology Publication #04-06-15. August 2004. Version 2. Updated 2014, Rating forms updated, January 2015.

1.0 Introduction

The scope of work for this review included determination of wetlands and other waters of the United States.

1.1 Contact Information

Shelly Gilmore, Resource Planning Unlimited, Inc. (RPU) performed the preliminary reconnaissance work, field inventory, and report writing (contact information provided on the cover sheet).

The report was requested and authorized by Steve Emtman with Defender Developments. The property is owned by Defender Developments.

1.2 Survey Area Location

The project site is approximately 31 acres (boundaries identified by Mr. Emtman) near the south side of Medical Lake, Washington on the south side of Lake Shore Road (Highway 902). See the appendix for location map (legal description of project area is Township 24N, Range 41E, Section 19).

2.0 Methods

Wetlands delineation was conducted in accordance with the 1987 Corps of Engineers Wetlands Delineation Manual and the Arid West regional supplement, September 2008.

Generally, distinctive vegetation changes and landform (topography) dictated the decision on where the data test sites were performed. No field data was collected in the uplands of the property because of the dominant upland vegetation and rocky slopes. Data test sites were performed near the edge of open-water depressional ponds, with the exception of a depressional area near the northwest portion of the property where there were not ponded water conditions.

A handheld GPS (Garmin Montana) was used to record on-site delineations and data test sites. Data points were provided to Syntier Engineering in Pullman, Washington, the owners design firm.

3.0 Existing Conditions

The topography of the area is represented by rocky, pine dominant gradually sloping uplands. The project site is currently undeveloped with adjacent development (home sites). Two unsurfaced roadways are developed on site. One roadway near the northwest side is unnamed. South Green Gate Lane is near the property's eastern side.

The site was visited by this author on April 6, 2021. The site conditions were mild for early April; no snow was present on the ground and the soils were not frozen.

The project site is shown on the flood insurance rate map to include Zone X^2 , defined as areas of minimal flood hazard (map attached in appendix).

4.0 Aquatic Resources

The aquatic resources within the survey area include five depressional wetlands. The open water area of the small ponds is less than 20 acres; therefore the entire area (open water and any other vegetated areas) is considered one depressional wetland unit.³ The wetlands are classified as palustrine because they are less than 20 acres in size, with water depths less than 6 feet.⁴ There does not appear to be an active surface water connection between the ponded areas on site and Medical Lake, which is to the north of Lake Shore Road (Highway 902). According to Mr. Emtman, the surface water connection to Medical Lake (north of the project area) has been blocked in past history by roadway development. Because the wetlands appear to be isolated (there does not appear to be surface water connectivity to other aquatic resources), it is unclear to this author whether the wetlands would be considered jurisdictional by the US Army Corps of Engineers.

<u>Wetland 1</u> is located near the southeast portion of the property (location map included in the appendix). Wetland 1 is classified as palustrine-emergent-persistent.⁴ The depressional wetland extends to the south outside of the property boundary. The wetland has surface water present and is dominated by cattails and softstem bulrush with reed canarygrass on the fringes. The uplands are dominated by ponderosa pines and roses on rocky slopes. The wetland appears to receive its hydrology from overland flow and possibly a perched water table.

Wetland 2 is located near the northeast portion of the property, and classified as palustrine-scrubshrub-deciduous. The wetland has surface water present. Aspens overhang the wetland's edges, cattails are present within the wetland. Snags and tree branches/trunks stretch into the wetland from the edges. The wetland appears to receive its hydrology from overland flow and possibly a perched water table.

² Flood Insurance Rate Map, Spokane, Washington, Panel 53063D0675D. Effective 07/06/2010.

³ Hruby, T. 2004. Washington State Wetland Rating System for Eastern Washington-Revised. Washington State Department of Ecology Publication #04-06-15. August 2004. Version 2. Updated 2014, Rating forms updated, January 2015.

⁴ Cowardin, Lewis M., Virginia Carter, Francis C. Golet, and Edward T. LaRoe. Classification of Wetlands and Deepwater Habitats of the United States. USDI Fish and Wildlife Service. FWS/OBS-79/31. December 1979, reprinted in 1992.

Wetland 3 is located near the north central portion of the property and is classified as palustrineemergent-persistent. The depressional wetland is bordered by Lake Shore Road on its northwest side. The wetland has surface water present and is dominated by cattails and softstem bulrush with reed canarygrass on the fringes. There are some redosier dogwoods near the southern shoreline, but the vegetative cover does not appear to overhang the wetland. The uplands are dominated by pines on rocky slopes. The wetland appears to receive its hydrology from overland flow and possibly a perched water table.

<u>Wetland 4</u> is located near the southwest portion of the property. Wetland 4 is classified as palustrine-emergent-persistent. The depressional wetland extends to the south outside of the property boundary. The wetland has surface water present and is dominated by cattails and softstem bulrush with reed canarygrass on the fringes. The uplands are dominated by pines and snowberry on rocky slopes. The wetland appears to receive its hydrology from overland flow and possibly a perched water table.

Wetland 5 is located near the west central portion of the property. Wetland 5 is classified as palustrine-emergent-nonpersistent. The wetland did not have surface water present and is dominated by reed canarygrass. The uplands are dominated by pines on rocky slopes. The wetland appears to receive its hydrology from overland flow.

4.1 Hydrology

As discussed in previous sections of this report, no tributaries are mapped within the project area on the topographic map; no surface water connection to other water resources is visible neither on the topographic map nor on site. The current US Fish and Wildlife Service National Wetlands Inventory (NWI)⁵ for wetlands and riparian areas was reviewed. Riverine, emergent, and freshwater pond wetlands were mapped (see appendix). Finding during this site review contradict those determinations—no riverine wetland appear within the project boundaries.

4.2 Vegetation

As stated previously, the area is represented by pine dominant uplands. The project site is currently undeveloped with adjacent development (home sites).

4.3 Soils

The general soil map units within the surveyed portion of the project area include the Cocolalla ashy silt loam and the Rocky-Fourmound complex.⁶ The Rocky-Fourmound complex soil unit is included on the county hydric soil list.

⁵ US Fish and Wildlife Service National Wetlands Inventory wetland mapper accessed 03/1/2021 at http://www.fws.gov/wetlands/Data/Mapper.html

⁶ Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey; http://websoilsurvey.nrcs.usda.gov/. Accessed 07/07/2021.

4.4 Wetland Determination Data Forms

Wetland data forms are located in the appendix. Test sites and wetland/nonwetland boundaries were mapped on-site with a handheld GPS unit, with data provided Syntier Engineering.

APPENDIX

- NWI Map
- Location Maps
- Project Photos
- Field Data Sheets
- Wetland Rating Forms



Ring Lake Estates



April 29, 2022

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake

Other

Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Figure 1. Project location map




Figure 2. Aquatic Resource and Test Site General Location Map



National Flood Hazard Layer FIRMette




Basemap: USGS National Map: Orthoimagery: Data refreshed October, 2020



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT



This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

point selected by the user and does not represent

an authoritative property location.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 7/13/2021 at 5:53 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Figure 3. Project site photos



Looing south at Wetland 1.



Looking southeast at neighboring property from Test Site 4.

Figure 3. Project site photos (continued)






Figure 3. Project site photos (continued)



WETLAND DETERMINATION DATA FORM – Arid West Region

Project Site: Ring Lake Estates		City/Count	ty: <u>Medical Lake/Spokane</u> Samp	oling Date: 4/6	<u>/21</u>
Applicant/Owner: S. Emtman			State: <u>WA</u> Samp	ling Point: 1	
Investigator(s): S. Gilmore		Section, To	ownship, Range: <u>Sec 19, T24N, R41E</u>		
Landform (hillslope, terrace, etc.): Valley	Lo	cal relief (cor	ncave, convex, none): concave	Slope (%	%): <u>2</u>
Subregion (LRR): Columbia/ Snake River Plateau	Lat: <u>47°33'45.07"N</u>		Long: <u>117°40'59.47"W</u>	Datum: WGS	<u>84</u>
Soil Map Unit Name: Cocolalla ashy silt loam			NWI classification:	None identifie	<u>ed</u>
Are climatic / hydrologic conditions on the site typi	cal for this time of year?	Yes 🛛	No 🔲 (If no, explain in Remarks.)		
Are Vegetation ☐, Soil ☐, or Hydrology	significantly disturbed	d? Are "	Normal Circumstances" present?	Yes 🛛	No 🗆
Are Vegetation ☐, Soil ☐, or Hydrology	naturally problematic	? (If ne	eded, explain any answers in Remarks.)		
SUMMARY OF FINDINGS – Attach site map sl	howing sampling point	locations,	transects, important features, etc.		
Hydrophytic Vegetation Present?	Yes ⊠ No □		· ·		
Hydric Soil Present?	Yes □ No ☒	Is the Sam	pled Area within a Wetland?	Yes □	No ⊠
Wetland Hydrology Present?	Yes □ No ⊠			_	
		land			
Remarks: Test site northeast of a depressional area/v		anu.			
VEGETATION – Use scientific names of plant	S. Absolute Dominant	Indicator			
Tree Stratum (Plot size:)	% Cover Species?	Status	Dominance Test Worksheet:		
1			Number of Dominant Species	1	(4)
2			That Are OBL, FACW, or FAC:	<u>1</u>	(A)
3			Total Number of Dominant	4	(B)
4			Species Across All Strata:	<u>1</u>	(B)
50% =, 20% =	= Total Cover	r	Percent of Dominant Species		
Sapling/Shrub Stratum (Plot size:)			That Are OBL, FACW, or FAC:	<u>100</u>	(A/B)
1			Prevalence Index worksheet:		
2.			Total % Cover of :	Multiply by:	
3.			OBL species	x1 =	
4.			FACW species	x2 =	
5.			FAC species	x3 =	
50% = , 20% =	= Total Cover		FACU species	x4 =	
		•	•	x5 =	
Herb Stratum (Plot size: 20' x 20')	400	E40)4/	UPL species		
Reed canarygrass (Phalaris arundinacea)	<u>100</u> <u>yes</u>	<u>FACW</u>	Column Totals: (A)		(B)
2			Prevalence Index = B/A	<u>- — — </u>	
3.			Hydrophytic Vegetation Indicators:		
4			☑ Dominance Test is >50%		
5			☐ Prevalence Index is ≤3.0 ¹		
6			Morphological Adaptations ¹ (Pro	ovide supportin	g
7			data in Remarks or on a separa	te sheet)	
8			☐ Problematic Hydrophytic Vegeta	ation ¹ (Explain)	
50% = 50, 20% = 20	100 = Total Cover	r	, , , ,	(1 /	
Woody Vine Stratum (Plot size:)	_		¹ Indicators of hydric soil and wetland hydrol		
1.			be present, unless disturbed or problematic	•	
2.					
50% = , 20% =	= Total Cover		Hydrophytic Vegetation Yes		No 🗆
% Bare Ground in Herb Stratum <u>0</u>	% Cover of Biotic Crust		Present?		
<u> </u>		_			
Remarks: Hydrophytic vegetation is support	ed at this test site. Last year	rs Canada th	nistle present, did not show new growth so did	in't count it in v	egetation

Remarks:

SOIL Sampling Point: 1 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features (inches) Color (moist) % Color (Moist) % Type¹ Loc² <u>Texture</u> Remarks 10YR 2/2 0-2 100 Very rootbound duffy layer Silt loam 2-20 10YR 2/2 95 10YR 3/2 5 D M Silt loam Earthworms in profile, crumbly soil ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) П Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes No \boxtimes Soils do not support hydric soil characteristics; very faint redox features, no odor. Remarks: **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Water Marks (B1) (Riverine) Surface Water (A1) Salt Crust (B11) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) П Water-Stained Leaves (B9) Other (Explain in Remarks) FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? \boxtimes \boxtimes No Yes No Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed.

US Army Corps of Engineers Arid West – Version 2.0

Weland hydrology is not supported at this site. Soils do not appear to stay satruated into the growing season. Lots of duff layer from reed canarygrass over

WETLAND DETERMINATION DATA FORM – Arid West Region

Project Site: Ring Lake Estates			City/Count	ty: <u>Medical</u>	Lake/Spc	<u>kane</u>	Samplin	ng Date:	4/6/2	<u>1</u>	
Applicant/Owner: S. Emtman					State	e: <u>WA</u>	Samplin	g Point:	<u>2</u>		
Investigator(s): S. Gilmore			Section, To	ownship, Ra	ange: <u>Se</u>	c 19, T24N, R41E	<u>:</u>				
Landform (hillslope, terrace, etc.): Valley		Lo	cal relief (cor	ncave, conv	ex, none):	concave		Slo	pe (%):	<u>2</u>	
<u>Columbia/</u> Subregion (LRR): <u>Snake River</u> Plateau	Lat: <u>47°;</u>	33'44.59"N		Long:	117°41'0.6	62"W	Da	atum: <u>V</u>	VGS84		
Soil Map Unit Name: Cocolalla ashy silt loam						NWI classific	cation: [Emerger	<u>nt</u>		
Are climatic / hydrologic conditions on the site typi	cal for this tin	ne of year?	Yes 🛛	No	☐ (If n	o, explain in Rem	arks.)				
Are Vegetation ☐, Soil ☐, or Hydrology	signific	antly disturbed	? Are "	Normal Circ	umstance	s" present?		Yes	\boxtimes	No	
Are Vegetation □, Soil □, or Hydrology	☐ natural	ly problematic	? (If ne	eded, expla	in any ans	swers in Remarks	;.)				
SUMMARY OF FINDINGS – Attach site map sl	nowing san	npling point	locations,	, transects	s, import	ant features, e	etc.				
Hydrophytic Vegetation Present?	Yes 🏻	No 🗆									
Hydric Soil Present?	Yes 🛚	No 🗆	Is the Sam	npled Area	within a V	Vetland?		Yes	\boxtimes	No	
Wetland Hydrology Present?	Yes 🛚	No 🗆									
Remarks: Test site northeast of a depressional area/w	vetland; on ed	dge sloping tov	vard wetland.								
VEGETATION - Use scientific names of plants	S.										
Tree Stratum (Plot size:)	Absolute <u>% Cover</u>	Dominant Species?	Indicator Status	Dominan	ce Test W	/orksheet:					
1						nt Species		<u>2</u>			(A)
2				That Are (JBL, FAC	W, or FAC:		_			` '
3.				Total Num				<u>2</u>			(B)
4				Species A	cross All	Strata:		_			` '
50% =, 20% =		= Total Cove	r			t Species W, or FAC:		100			(A/B)
Sapling/Shrub Stratum (Plot size:)						•					
1				Prevalence		worksheet:					
2.				0.51		Cover of :		Multiply	y by:		
3		—		OBL spec				x1 =		-	
4		—		FACW sp				x2 =		-	
5		—	—	FAC spec				x3 =		-	
50% =, 20% =		= Total Cove	r	FACU spe	ecies			x4 =		_	
Herb Stratum (Plot size: 20' x 20')				UPL spec	ies			x5 =		-	
1. <u>Cattail (Typha latifolia)</u>	<u>75</u>	<u>yes</u>	<u>OBL</u>	Column T	otals:	(A)				_ (B)
2. <u>Reed canarygrass (Phalaris arundinacea)</u>	<u>75</u>	<u>yes</u>	<u>FACW</u>		F	Prevalence Index	= B/A =				
Softstem bulrush (Schoenoplectus tabernaemontani)	<u>25</u>	<u>no</u>	<u>OBL</u>	Hydrophy	ytic Veget	ation Indicators	:				
4					Domina	nce Test is >50%					
5					Prevaler	nce Index is <3.0	1				
6					Morphol	ogical Adaptation	ıs¹ (Provi	de supp	orting		
7					data in F	Remarks or on a s	separate	sheet)			
8					Problem	atic Hydrophytic	Vegetati	on ¹ (Exp	olain)		
50% = <u>87.5</u> , 20% = <u>35</u>	<u>175</u>	= Total Cove	r								
Woody Vine Stratum (Plot size:)						soil and wetland disturbed or probl		gy must			
1											
2				Hydrophy	vtic			-			
50% =, 20% =		= Total Cove	r	Vegetatio	n		Yes	\boxtimes	No		
% Bare Ground in Herb Stratum <u>0</u>	% Cover	of Biotic Crust	<u>0</u>	Present?							
Remarks: Hydrophytic vegetation is support	ed at this test	t site.									

SOIL Sampling Point: 2 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features (inches) Color (moist) % Color (Moist) % Type¹ Loc² **Texture** Remarks 10YR 2/1 100 0-3 Silt loam 3-22 10YR 2/1 95 10YR 5/1 5 D M Silt loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soils³: Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) \boxtimes Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes \boxtimes No Remarks: Soils support hydric soil characteristics. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Salt Crust (B11) Water Marks (B1) (Riverine) Surface Water (A1) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) \boxtimes Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) \boxtimes Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) Water-Stained Leaves (B9) Other (Explain in Remarks) \boxtimes FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): ~15" from top of Water Table Present? Yes \boxtimes No Depth (inches): pit Saturation Present? To near top of Wetland Hydrology Present? Yes \boxtimes No Depth (inches): (includes capillary fringe) pit Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is supported at this site. No standing water at test pit; wetland area did have surface water. Surrounded by uplands of P. pine and roses Remarks: on rocky slopes.

WETLAND DETERMINATION DATA FORM – Arid West Region

Project Site: Ring Lake Estates		City/County: <u>Medical Lake/Spokane</u> San	npling Date: 4/6/21	
Applicant/Owner: S. Emtman		State: <u>WA</u> Sam	pling Point: 3	
Investigator(s): S. Gilmore		Section, Township, Range: Sec 19, T24N, R41E		
Landform (hillslope, terrace, etc.): Valley	Lo	cal relief (concave, convex, none): concave	Slope (%): 2	
Subregion (LRR): Columbia/ Snake River Plateau	Lat: <u>47°33'46.43"N</u>	Long: <u>117°41'0.06"W</u>	Datum: WGS84	
Soil Map Unit Name: Cocolalla ashy silt loam		NWI classification	n: None identified	
Are climatic / hydrologic conditions on the site typi	cal for this time of year?	Yes ⊠ No □ (If no, explain in Remarks	.)	
Are Vegetation □, Soil □, or Hydrology	☐ significantly disturbed	? Are "Normal Circumstances" present?	Yes ⊠ No [
Are Vegetation ☐, Soil ☐, or Hydrology	_	? (If needed, explain any answers in Remarks.)		
	_ ,,	, , , , ,		
SUMMARY OF FINDINGS – Attach site map sl		locations, transects, important features, etc.		
Hydrophytic Vegetation Present?	Yes ☐ No 🛛			
Hydric Soil Present?	Yes ☐ No ☒	Is the Sampled Area within a Wetland?	Yes ☐ No 🏻	\boxtimes
Wetland Hydrology Present?	Yes □ No ⊠			
Remarks: Test site near the southeast border of the p	roperty in a slight depression	onal area.		
VEGETATION – Use scientific names of plant				
Tree Stratum (Plot size:)	Absolute Dominant <u>% Cover Species?</u>	Indicator Status Dominance Test Worksheet:		
1		Number of Dominant Species	0 (4	۸.
2		That Are OBL, FACW, or FAC:	<u>0</u> (A	٠)
3.		Total Number of Dominant		
4		Species Across All Strata:	<u>1</u> (E	3)
50% =, 20% =	= Total Cove	Percent of Dominant Species		
Sapling/Shrub Stratum (Plot size:)		That Are OBL, FACW, or FAC:	<u>0</u> (A	4/B)
1.		Prevalence Index worksheet:		
2.		Total % Cover of :	Multiply by:	
3		OBL species	x1 =	
4.		FACW species	x2 =	
5.		FAC species	x3 =	
50% =, 20% =	= Total Cove	, <u>—</u>	x4 =	
Herb Stratum (Plot size: 20' x 20')		UPL species	x5 =	
<u>Wheatgrass, intermediate (Thinopyrum</u> intermedium)	<u>100</u> <u>yes</u>	NI Column Totals: (A)	(B)	
2		Prevalence Index = B/A	4 =	
3		Hydrophytic Vegetation Indicators:		
4		Dominance Test is >50%		
5		Prevalence Index is ≤3.0 ¹		
6.		— Morphological Adaptations ¹ (F	trovido supporting	
7.		data in Remarks or on a sepa		
8.		Problematic Hydrophytic Vege	1	
		— Troblemate Tryarephytic vege	tation (Explain)	
50% = <u>50</u> , 20% = <u>20</u>	100 = Total Cove	¹ Indicators of hydric soil and wetland hydr	ology must	
Woody Vine Stratum (Plot size:)		be present, unless disturbed or problemat		
1		-		
2		Hydrophytic	□ N- 5	⊲
50% =, 20% =	= Total Cove	Present?	□ No □	\boxtimes
% Bare Ground in Herb Stratum 0	% Cover of Biotic Crust	0		
Remarks: Hydrophytic vegetation is not sup	ported at this test site.			

SOIL Sampling Point: 3 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features Color (moist) **Texture** (inches) % Color (Moist) Type¹ Loc² Remarks 10YR 2/2 100 Duff layer of pine needles and grass 0-4 Silt loam <u>4-21</u> 10YR 2/2 100 ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) П Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes No \boxtimes Remarks: Soils do not support hydric soil characteristics; no redox features or odor. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Water Marks (B1) (Riverine) Surface Water (A1) Salt Crust (B11) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) Saturation Visible on Aerial Imagery (C9) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) П Shallow Aquitard (D3) Water-Stained Leaves (B9) Other (Explain in Remarks) FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Soils damp, not Wetland Hydrology Present? \boxtimes \boxtimes No Yes No Depth (inches): (includes capillary fringe) saturated Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is not supported at this site. Soils do not appear to stay satruated into the growing season. Lots of duff layer from pine needles and

US Army Corps of Engineers Arid West – Version 2.0

grasses over time. Site surrounded by snowberry and pines.

WETLAND DETERMINATION DATA FORM – Arid West Region

Project Site: Ring Lake Estates			City/Count	y: Medical Lake/Spokane	Sampling Date:	4/6/21	
Applicant/Owner: S. Emtman				State: WA	Sampling Point:	<u>4</u>	
Investigator(s): S. Gilmore			Section, To	ownship, Range: <u>Sec 19, T24N, R4</u>	<u>1E</u>		
Landform (hillslope, terrace, etc.): <u>Valley</u>		Loc	cal relief (cor	ncave, convex, none): <u>concave</u>	Slop	pe (%):	<u>2</u>
Subregion (LRR): <u>Snake River</u> Plateau	Lat: <u>47°3</u>	33'46.43"N		Long: <u>117°41'0.06"W</u>	Datum: <u>V</u>	<u>VGS84</u>	
Soil Map Unit Name: Rocky-Fourmound complex				NWI class	ification: Emergen	<u>ıt</u>	
Are climatic / hydrologic conditions on the site typic	cal for this tin	ne of year?	Yes 🛛	No 🔲 (If no, explain in Re	emarks.)		
Are Vegetation \square , Soil \square , or Hydrology	signific	antly disturbed	? Are "	Normal Circumstances" present?	Yes	⊠ N	1o 🗆
Are Vegetation □, Soil □, or Hydrology	☐ natural	ly problematic?	(If ne	eded, explain any answers in Remar	ks.)		
SUMMARY OF FINDINGS – Attach site map sh	nowing san	npling point	locations,	transects, important features	, etc.		
Hydrophytic Vegetation Present?	Yes 🗆		•	· ·	<u>r</u>		
Hydric Soil Present?	Yes 🔲	No 🛛	Is the Sam	pled Area within a Wetland?	Yes	□ N	lo 🛛
Wetland Hydrology Present?	Yes 🔲	No 🛛					
Remarks: Test site near the northeast border of the private wetland support in this vicinity.	roperty at the	fenceline and	property bou	indary. A wetland is mapped (NWI) to	the east, this test	site verifi	ies no
VEGETATION - Use scientific names of plants	S.						
Tree Stratum (Plot size:)	Absolute <u>% Cover</u>	Dominant Species?	Indicator Status	Dominance Test Worksheet:			
1				Number of Dominant Species	<u>0</u>		(A)
2.				That Are OBL, FACW, or FAC:	_		()
3				Total Number of Dominant	<u>3</u>		(B)
4				Species Across All Strata:	_		
50% =, 20% =		= Total Cover		Percent of Dominant Species That Are OBL, FACW, or FAC:	<u>0</u>		(A/B)
Sapling/Shrub Stratum (Plot size: 20' x 20')			540 11				
1. <u>Snowberry (Symphoricarpos albus)</u>	<u>50</u>	<u>yes</u>	<u>FACU</u>	Prevalence Index worksheet:	B. 4 IA I.		
2 3.				<u>Total % Cover of :</u> OBL species	Multiply x1 =	<u>/ by:</u>	
4.				FACW species	x1 = x2 =		
5.				FAC species	x3 =		
50% = <u>25,</u> 20% = <u>10</u>	50	= Total Cover		FACU species	x4 =		
Herb Stratum (Plot size:20' x 20')	<u>50</u>	10101 00101		UPL species	x5 =		
Smooth brome (Bromus inermis)	<u>100</u>	<u>ves</u>	<u>FACU</u>	· —	XO —		(B)
Common tansy (Tanacetum vulgare)	<u>50</u>	<u>yes</u>	FACU	Column Totals: (A) Prevalence Inde	ev = R/Δ =		(5)
3.	<u>50</u>	<u>yes</u>	<u>1 ACC</u>	Hydrophytic Vegetation Indicato			
4				Dominance Test is >50			
5				_			
6.							
7.				Morphological Adaptati data in Remarks or on a		orung	
8.				☐ Problematic Hydrophyti	ic Vegetation ¹ (Evn	lain)	
50% = 75, 20% = 30	150	= Total Cover		— Troblematic Trydrophlyti	c vegetation (Exp	iaiii)	
Woody Vine Stratum (Plot size:)		2270.		¹ Indicators of hydric soil and wetlar			
1				be present, unless disturbed or pro	piematic.		
2.				Hudronhutio			
50% =, 20% =		= Total Cover		Hydrophytic Vegetation	Yes 🗆	No	
% Bare Ground in Herb Stratum 10	% Cover	of Biotic Crust	<u>0</u>	Present?			
Remarks: Hydrophytic vegetation is not supp	norted at this	test site					

SOIL Sampling Point: 4 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features Color (moist) Color (Moist) **Texture** (inches) % Type¹ Loc² Remarks 10YR 2/2 100 0-19 Sandy loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) П Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes No \boxtimes Remarks: Soils do not support hydric soil characteristics; no redox features or odor. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Salt Crust (B11) Water Marks (B1) (Riverine) Surface Water (A1) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) П Water-Stained Leaves (B9) Other (Explain in Remarks) FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? No \boxtimes \boxtimes Yes No Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is not supported at this site. Soils do not appear to stay satruated into the growing season; appearing well drained.

Project Site: Ring Lake Estates			City/Count	y: Medical Lake/Spokane	Sampling Date:	: <u>4/6/21</u>	
Applicant/Owner: S. Emtman				State: <u>WA</u>	Sampling Point:	: <u>5</u>	
Investigator(s): S. Gilmore			Section, To	ownship, Range: Sec 19, T24N, R41	<u>1E</u>		
Landform (hillslope, terrace, etc.): Valley		Loc	al relief (con	ncave, convex, none): <u>concave</u>	Slc	pe (%): 2	
<u>Columbia/</u> Subregion (LRR): <u>Snake River</u> Plateau	Lat: <u>47°</u>	33'52.03"N		Long: <u>117°41'5.28"W</u>	Datum: \(\frac{1}{2}\)	WGS84	
Soil Map Unit Name: Rocky-Fourmound complex				NWI classi	fication: Freshwa	ater pond	
Are climatic / hydrologic conditions on the site typic	cal for this tim	ne of year?	Yes 🏻		·		
Are Vegetation □, Soil □, or Hydrology		antly disturbed?	? Are "I	Normal Circumstances" present?	Yes	⊠ No	
Are Vegetation □, Soil □, or Hydrology	☐ naturall	y problematic?	(If ne	eded, explain any answers in Remark	ks.)		
SUMMARY OF FINDINGS – Attach site map sh	owing san	pling point	locations,	transects, important features,	etc.		
Hydrophytic Vegetation Present?	Yes 🛚	No 🗆					
Hydric Soil Present?	Yes 🛛	No 🗆	Is the Sam	pled Area within a Wetland?	Yes	⊠ Nc	· 🗆
Wetland Hydrology Present?	Yes 🛚	No 🗆					
Remarks: Test site on southeast side of a ponded area	a.	•					
VEGETATION – Use scientific names of plants	S.						
Tree Stratum (Plot size:)	Absolute <u>% Cover</u>	Dominant Species?	Indicator Status	Dominance Test Worksheet:			
1				Number of Dominant Species	<u>1</u>		(A)
2				That Are OBL, FACW, or FAC:			(71)
3.				Total Number of Dominant	<u>2</u>		(B)
4				Species Across All Strata:	<u> </u>		(D)
50% =, 20% =		= Total Cover		Percent of Dominant Species	<u>50</u>		(A/B)
Sapling/Shrub Stratum (Plot size: 20 x 20)				That Are OBL, FACW, or FAC:			()
1. <u>Aspen (Populus tremuloides)</u>	<u>50</u>	<u>yes</u>	<u>FACU</u>	Prevalence Index worksheet:			
2.				Total % Cover of :	Multipl	<u>y by:</u>	
3				OBL species <u>75</u>	x1 =	<u>75</u>	
4				FACW species	x2 =		
5				FAC species	x3 =		
50% = <u>25,</u> 20% = <u>10</u>	<u>50</u>	= Total Cover		FACU species <u>50</u>	x4 =	<u>200</u>	
Herb Stratum (Plot size: 20' x 20')				UPL species	x5 =		
1. Spikerush (Eleocharis quinqueflora)	<u>75</u>	<u>yes</u>	<u>OBL</u>	Column Totals: 125 (A)		<u>275</u> (B)	
2				Prevalence Inc	dex = B/A = <u>2.2</u>		
3.				Hydrophytic Vegetation Indicator	rs:		
4				☐ Dominance Test is >50°	%		
5					01		
6				Morphological Adaptation	ons ¹ (Provide sup	porting	
7				data in Remarks or on a		Ü	
8				☐ Problematic Hydrophytic	c Vegetation¹ (Ex	plain)	
50% = <u>37.5</u> , 20% = <u>15</u>	<u>75</u>	= Total Cover		, , ,		,	
Woody Vine Stratum (Plot size:)				¹ Indicators of hydric soil and wetlan be present, unless disturbed or pro			
1				be present, unless disturbed or pro-	biematic.		
2				Hydronhytic			
50% =, 20% =		= Total Cover		Hydrophytic Vegetation	Yes 🛛	No	
% Bare Ground in Herb Stratum <u>0</u>	% Cover of	of Biotic Crust	<u>0</u>	Present?			
Remarks: Hydrophytic vegetation is supporte	ed at this test	site. Aspens n	ot in wetland	d test site, but overhanging edges.			

SOIL Sampling Point: 5 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features (inches) Color (moist) % Color (Moist) % Type¹ Loc² **Texture** Remarks 10YR 2/1 100 0-1 Silt loam 1-20 10YR 2/1 95 10YR 4/1 5 D M Silt loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soils³: Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) \boxtimes Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes \boxtimes No Remarks: Soils support hydric soil characteristics. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Salt Crust (B11) Water Marks (B1) (Riverine) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) \boxtimes Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) \boxtimes Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) Water-Stained Leaves (B9) Other (Explain in Remarks) \boxtimes FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes \boxtimes No Depth (inches): <1" ~5" from top of Water Table Present? Yes \boxtimes No Depth (inches): Saturation Present? Wetland Hydrology Present? Yes \boxtimes No Depth (inches): To top of pit (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is supported at this site. Wetland area has ponded surface water. Surrounded by uplands of P. pine, snowberry, and roses on rocky Remarks: slopes.

Project Site: Ring Lake Estates		City/Count	ty: Medical Lake/Spokane	Sampling Date:	<u>4/6/21</u>
Applicant/Owner: S. Emtman			State: <u>WA</u>	Sampling Point:	<u>6</u>
Investigator(s): S. Gilmore		Section, To	ownship, Range: Sec 19, T24N, R41	<u>E</u>	
Landform (hillslope, terrace, etc.): Valley	L	ocal relief (cor	ncave, convex, none): concave	Slope	e (%): <u>2</u>
Subregion (LRR): <u>Columbia/</u> Snake <u>River</u> Plateau	Lat: <u>47°33'52.01"N</u>		Long: <u>117°41'5.07"W</u>	Datum: W	<u>GS84</u>
Soil Map Unit Name: Rocky-Fourmound complex			NWI classit	fication: Freshwate	er pond
Are climatic / hydrologic conditions on the site typic	cal for this time of year?	Yes 🛛	No 🔲 (If no, explain in Re	marks.)	
Are Vegetation ☐, Soil ☐, or Hydrology	significantly disturbe	d? Are "	Normal Circumstances" present?	Yes I	⊠ No □
Are Vegetation ☐, Soil ☐, or Hydrology	naturally problemation	? (If ne	eded, explain any answers in Remark	(s.)	
SUMMARY OF FINDINGS – Attach site map sh	owing sampling poin	t locations,	transects, important features,	etc.	
Hydrophytic Vegetation Present?	Yes □ No ☒				
Hydric Soil Present?	Yes □ No ☒	Is the Sam	npled Area within a Wetland?	Yes	□ No ⊠
Wetland Hydrology Present?	Yes □ No ☒				
Remarks: Test site near TS 5, southeast of an open w	ater pond.				
VEGETATION - Use scientific names of plants	3.				
Tree Stratum (Plot size:20' x 20')	Absolute Dominant % Cover Species?	Indicator Status	Dominance Test Worksheet:		
1. Ponderosa pine (Pinus ponderosa)	<u>50</u> <u>yes</u>	FACU	Number of Dominant Species	•	(4)
2			That Are OBL, FACW, or FAC:	<u>0</u>	(A)
3.			Total Number of Dominant		(5)
4			Species Across All Strata:	<u>3</u>	(B)
50% = <u>25,</u> 20% = <u>10</u>	50 = Total Cov	er	Percent of Dominant Species		
Sapling/Shrub Stratum (Plot size:20' x 20')			That Are OBL, FACW, or FAC:	<u>0</u>	(A/B)
1. <u>Snowberry (Symphoricarpos albus)</u>	<u>75</u> <u>yes</u>	<u>FACU</u>	Prevalence Index worksheet:		
2. Woods' rose (Rosa woodsii)	<u>75</u> <u>yes</u>	<u>FACU</u>	Total % Cover of :	Multiply	by:
3.			OBL species	x1 =	
4			FACW species	x2 =	
5			FAC species	x3 =	
50% = <u>75,</u> 20% = <u>30</u>	<u>150</u> = Total Cov	er	FACU species	x4 =	
Herb Stratum (Plot size:)			UPL species	x5 =	
1.			Column Totals: (A)		(B)
2.	<u> </u>		Prevalence Inde	x = B/A =	()
3.			Hydrophytic Vegetation Indicator	<u> </u>	
4.			Dominance Test is >50°		
5.			_		
				4	
6 7			Morphological Adaptation data in Remarks or on a		rting
					
8			Problematic Hydrophytic	: Vegetation' (Expla	iin)
50% =, 20% =	= Total Cov	er	¹ Indicators of hydric soil and wetlan	d hydrology must	
Woody Vine Stratum (Plot size:)			be present, unless disturbed or prob	olematic.	
1					
2			Hydrophytic	Yes □	No 🛛
50% =, 20% =	= Total Cov		Vegetation Present?	.00	.10
% Bare Ground in Herb Stratum 10	% Cover of Biotic Crus	t <u>0</u>			
Remarks: Hydrophytic vegetation is not supp	orted at this test site.				

SOIL Sampling Point: 6 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features Color (moist) Color (Moist) **Texture** (inches) % Type¹ Loc² Remarks 10YR 2/2 100 0-19 Sandy loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) П Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes No \boxtimes Remarks: Soils do not support hydric soil characteristics; no redox features or odor. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Salt Crust (B11) Water Marks (B1) (Riverine) Surface Water (A1) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) П Water-Stained Leaves (B9) Other (Explain in Remarks) FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? No \boxtimes \boxtimes Yes No Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is not supported at this site. Soils do not appear to stay satruated into the growing season; appearing well drained.

Project Site: Ring Lake Estates		C	City/County	y: Medical Lak	<u>ke/Spokane</u>	Sampling	Date:	4/6/2	L	
Applicant/Owner: S. Emtman					State: WA	Sampling	Point:	<u>7</u>		
Investigator(s): S. Gilmore		S	Section, To	wnship, Range	e: <u>Sec 19, T24N, R41</u>	<u>E</u>				
Landform (hillslope, terrace, etc.): Valley		Local	relief (con-	cave, convex, r	none): <u>concave</u>		Slop	oe (%):	<u>2</u>	
Subregion (LRR): <u>Columbia/</u> Snake <u>River</u> Plateau	Lat: <u>47°33'45.</u>	<u>15"N</u>		Long: <u>117</u> °	°41'15.96"W	Dat	um: <u>V</u>	VGS84		
Soil Map Unit Name: Cocolalla ashy silt loam					NWI classif	fication: <u>Er</u>	mergen	<u>ıt</u>		
Are climatic / hydrologic conditions on the site typi	cal for this time of y	ear?	Yes 🛛	No 🗆	(If no, explain in Rer	marks.)				
Are Vegetation ☐, Soil ☐, or Hydrology	☐ significantly d	listurbed?	Are "N	Normal Circums	stances" present?		Yes	\boxtimes	No	
Are Vegetation ☐, Soil ☐, or Hydrology	naturally prob	lematic?	(If nee	eded, explain a	ny answers in Remark	(s.)				
SUMMARY OF FINDINGS - Attach site map sh	າowing samplinຸ	g point lo	cations,	transects, in	nportant features,	etc.				
Hydrophytic Vegetation Present?	Yes 🛛 No									
Hydric Soil Present?	Yes 🛛 No	□ Is	the Sam	pled Area with	nin a Wetland?		Yes	\boxtimes	No	
Wetland Hydrology Present?	Yes 🛛 No									
Remarks: Test site on northeast side of a ponded area	a near the northwes	t corner of t	the proper	ty						
VEGETATION – Use scientific names of plants										
Tree Stratum (Plot size:)	Absolute Domi	inant In	dicator	Dominance T	est Worksheet:					
	% Cover Spec	ies? St	tatus							
1		_			minant Species , FACW, or FAC:		<u>1</u>		((A)
2.		_								
3.		_		Total Number Species Acros		-	<u>1</u>		((B)
4				•						
50% =, 20% =	= 100	al Cover			minant Species , FACW, or FAC:	-	100		((A/B)
Sapling/Shrub Stratum (Plot size:)			_		ndex worksheet:					
1 2.		_			otal % Cover of :	ı	Multiply	, by:		
3.		_		OBL species	otal 70 Cover of .	-	x1 =	Dy.		
4.		_		FACW species			x2 =		-	
5.		_		FAC species	·		x2 =		-	
				· ·					-	
50% =, 20% =	= 100	al Cover		FACU species	<u> </u>		x4 =		-	
Herb Stratum (Plot size:20' x 20') 1. Softstem bulrush (Schoenoplectus				UPL species)	x5 =		-	
tabernaemontani)	<u>100</u> <u>yes</u>	<u>OI</u>	<u>BL</u>	Column Totals	s: (A)				_ (B))
2		_			Prevalence Ind	ex = B/A =	<u>2.2</u>			
3.		_		Hydrophytic	Vegetation Indicator	s:				
4		_		⊠ Do	ominance Test is >50%	6				
5		_		□ Pr	evalence Index is <3.0) 1				
6		_		_ М	orphological Adaptatio	ns¹ (Provid	e supp	orting		
7		_		☐ da	ita in Remarks or on a	separate s	heet)	Ū		
8				□ Pr	oblematic Hydrophytic	: Vegetation	n¹ (Exp	lain)		
50% = <u>50</u> , 20% = <u>20</u>	<u>100</u> = Tot	al Cover				· ·	` .	,		
Woody Vine Stratum (Plot size:)					hydric soil and wetland nless disturbed or prob		must			
1		_		pe bieseiit, ni	ness distarbed or prot	nomatic.				
2		_		Uvdronhuti -						
50% =, 20% =	= Tot	al Cover		Hydrophytic Vegetation		Yes	\boxtimes	No		
% Bare Ground in Herb Stratum <u>0</u>	% Cover of Bioti	ic Crust (<u>0</u>	Present?						
Remarks: Hydrophytic vegetation is support	ed at this test site.		<u> </u>							

SOIL Sampling Point: 7 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features Color (moist) Color (Moist) **Texture** (inches) % % Type¹ Loc² Remarks 0-21 7.5YR 2.5/1 90 5YR 3/4 <u>10</u> C M Sandy loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soils³: Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) \boxtimes Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes \boxtimes No Remarks: Soils support hydric soil characteristics. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Salt Crust (B11) Water Marks (B1) (Riverine) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) \boxtimes Drift Deposits (B3) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) \boxtimes Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) Water-Stained Leaves (B9) Other (Explain in Remarks) \boxtimes FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): ~15" from top of Water Table Present? Yes \boxtimes No Depth (inches): Saturation Present? Wetland Hydrology Present? Yes \boxtimes No Depth (inches): To top of pit (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is supported at this site. Wetland area has ponded surface water. Surrounded by uplands of snowberry on rocky slopes.

Project Site: Ring Lake Estates		City/Count	ty: Medical Lake/Spokane	Sampling Date	e: <u>4/6/2</u> 1	<u> </u>
Applicant/Owner: S. Emtman			State: WA	Sampling Point	t: <u>8</u>	
Investigator(s): S. Gilmore		Section, To	ownship, Range: Sec 19, T24N, R41	<u>E</u>		
Landform (hillslope, terrace, etc.): Valley	Lo	ocal relief (cor	ncave, convex, none): concave	SI	ope (%):	<u>2</u>
Subregion (LRR): <u>Columbia/</u> Subregion (LRR): <u>Snake River</u> Plateau	Lat: <u>47°33'45.29"N</u>		Long: <u>117°41'15.98"W</u>	Datum:	WGS84	
Soil Map Unit Name: Rocky-Fourmound complex			NWI classif	ication: Emerge	<u>ent</u>	
Are climatic / hydrologic conditions on the site typic	cal for this time of year?	Yes 🛛	No ☐ (If no, explain in Ren	narks.)		
Are Vegetation ☐, Soil ☐, or Hydrology	significantly disturbed	d? Are "	Normal Circumstances" present?	Yes	×	No 🗆
Are Vegetation ☐, Soil ☐, or Hydrology	naturally problematic	? (If ne	eded, explain any answers in Remark	s.)		
SUMMARY OF FINDINGS – Attach site map sh	nowing sampling point	t locations,	transects, important features,	etc.		
Hydrophytic Vegetation Present?	Yes 🛛 No 🗌					
Hydric Soil Present?	Yes 🗌 No 🛛	Is the Sam	npled Area within a Wetland?	Yes	; 	No 🛛
Wetland Hydrology Present?	Yes ☐ No ☒					
Remarks: Test site near TS 7, northeast side of open	water near the northwest s	ide of the pro	perty.			
VEGETATION – Use scientific names of plants	S.					
Tree Stratum (Plot size:)	Absolute Dominant	Indicator	Dominance Test Worksheet:			
1.	% Cover Species?	<u>Status</u>	Number of Demissert Consiss			
2.			Number of Dominant Species That Are OBL, FACW, or FAC:	<u>1</u>		(A)
3.			Total Number of Dominant			
4.			Species Across All Strata:	<u>1</u>		(B)
50% =, 20% =	= Total Cove		Percent of Dominant Species			
Sapling/Shrub Stratum (Plot size:)			That Are OBL, FACW, or FAC:	<u>100</u>		(A/B)
1.			Prevalence Index worksheet:			
2.			Total % Cover of :	Multir	oly by:	
3.			OBL species	x1 =		
4.			FACW species	x2 =		_
5.			FAC species	x3 =		_
50% = , 20% =	= Total Cove	er	FACU species	x4 =		
Herb Stratum (Plot size:20' x 20')			UPL species	x5 =		_
Reed canarygrass (Phalaris arundinacea)	<u>100</u> <u>yes</u>	FACW				(B)
2.	<u>100</u> <u>yoo</u>	17.011	Column Totals: (A) Prevalence Index	/ = R/Δ =		_ (D)
3.			Hydrophytic Vegetation Indicators			
4.			Dominance Test is >50%			
5						
6.						
7			☐ Morphological Adaptation data in Remarks or on a			
8.						
			☐ Problematic Hydrophytic	vegetation (Ex	(piain)	
50% = <u>50</u> , 20% = <u>20</u> Woody Vine Stratum (Plot size:)	100 = Total Cove	:1	¹ Indicators of hydric soil and wetland	d hydrology mus	t	
			be present, unless disturbed or prob	lematic.		
1 2.						
	= Total Cove		Hydrophytic	Yes 🛛	No	
50% =, 20% = % Bare Ground in Herb Stratum 0	% Cover of Biotic Crust		Vegetation Present?			_
_						
Remarks: Hydrophytic vegetation is support	ed at this test site. Last yea	ır's Canada th	nistle present, did not count in vegetati	ve stratum. Sno	wberry c	n

SOIL Sampling Point: 8 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features Color (moist) Color (Moist) **Texture** (inches) % Type¹ Loc² Remarks 10YR 2/2 100 0-19 Sandy loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) П Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes No \boxtimes Remarks: Soils do not support hydric soil characteristics; no redox features or odor. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Salt Crust (B11) Water Marks (B1) (Riverine) Surface Water (A1) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) П Water-Stained Leaves (B9) Other (Explain in Remarks) FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? No \boxtimes \boxtimes Yes No Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is not supported at this site. Soils do not appear to stay satruated into the growing season; appearing well drained.

Project Site: Ring Lake Estates		City/Coun	ty: Medical Lake/Spokane	Sampling Date:	4/6/21	-
Applicant/Owner: S. Emtman			State: <u>WA</u>	Sampling Point:	<u>9</u>	
Investigator(s): S. Gilmore		Section, T	ownship, Range: Sec 19, T24N, R4	<u>1E</u>		
Landform (hillslope, terrace, etc.): Valley	l	ocal relief (co	ncave, convex, none): <u>concave</u>	Slo	pe (%):	<u>2</u>
Subregion (LRR): Columbia/ Snake River Plateau	Lat: <u>47°33'45.15"N</u>		Long: <u>117°41'15.96"W</u>	Datum: <u>V</u>	NGS84	
Soil Map Unit Name: Rocky-Fourmound complex			NWI class	sification: <u>Emerger</u>	<u>nt</u>	
Are climatic / hydrologic conditions on the site typ	ical for this time of year?	Yes 🛚	No ☐ (If no, explain in Re	emarks.)		
Are Vegetation ☐, Soil ☐, or Hydrology	significantly disturbed	ed? Are	'Normal Circumstances" present?	Yes	\boxtimes	No 🗆
Are Vegetation ☐, Soil ☐, or Hydrology	naturally problemat	ic? (If ne	eeded, explain any answers in Remai	rks.)		
SUMMARY OF FINDINGS – Attach site map s	howing sampling poi	nt locations	, transects, important features	, etc.		
Hydrophytic Vegetation Present?	Yes ⊠ No □					
Hydric Soil Present?	Yes ⊠ No □	Is the San	npled Area within a Wetland?	Yes		No 🗆
Wetland Hydrology Present?	Yes ⊠ No □					
Remarks: Test site on northwest side of a ponded are	ea near the northwest corn	er of the prope	erty.			
VEGETATION – Use scientific names of plant		' '				
Tree Stratum (Plot size:)	Absolute Dominant	Indicator	Dominance Test Worksheet:			
	% Cover Species?	<u>Status</u>	Dominance Test Worksheet.			
1			Number of Dominant Species That Are OBL, FACW, or FAC:	<u>3</u>		(A)
2						
3			Total Number of Dominant Species Across All Strata:	<u>3</u>		(B)
4						
50% =, 20% =	= Total Cov	/ei	Percent of Dominant Species That Are OBL, FACW, or FAC:	<u>100</u>		(A/B)
Sapling/Shrub Stratum (Plot size:)			Prevalence Index worksheet:			
1 2.			Total % Cover of :	Multipl	v bv:	
				Multiply	<u>y by:</u>	
3			OBL species	x1 =		=
4 5.			FACW species	x2 =		=
			FAC species	x3 =		=
50% =, 20% =	= Total Cov	/er	FACU species	x4 =		-
Herb Stratum (Plot size:20' x 20') 1. Softstem bulrush (Schoenoplectus)			UPL species	x5 =		=
tabernaemontani)	<u>100</u> <u>yes</u>	<u>OBL</u>	Column Totals: (A)			(B)
2. Reed canarygrass (Phalaris arundinacea)	<u>50</u> <u>yes</u>	<u>FACW</u>	Prevalence In	dex = B/A = <u>2.2</u>		
3. <u>Cattail (Typha latifolia)</u>	<u>50</u> <u>yes</u>	<u>OBL</u>	Hydrophytic Vegetation Indicato	rs:		
4			☐ Dominance Test is >50	1%		
5			☐ Prevalence Index is <u><</u> 3	.0 ¹		
6			Morphological Adaptati	ons ¹ (Provide supr	orting	
7			data in Remarks or on	a separate sheet)		
8			☐ Problematic Hydrophyt	ic Vegetation¹ (Exp	olain)	
50% = <u>100</u> , 20% = <u>40</u>	<u>200</u> = Total Cov	/er				
Woody Vine Stratum (Plot size:)			¹ Indicators of hydric soil and wetlar be present, unless disturbed or pro			
1			so present, unless disturbed of pre	Districtio.		
2			Hydrophytic			
50% =, 20% =	= Total Cov	/er	Vegetation	Yes 🛚	No	
% Bare Ground in Herb Stratum <u>0</u>	% Cover of Biotic Crus	st <u>0</u>	Present?			
Remarks: Hydrophytic vegetation is support	ted at this test site.	<u> </u>				

SOIL Sampling Point: 9 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Redox Features Depth **Texture** (inches) Color (moist) % Color (Moist) % Type¹ Loc² Remarks 0-21 7.5YR 2.5/1 95 5YR 3/4 5 C M Sandy loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soils³: Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) \boxtimes Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes \boxtimes No Remarks: Soils support hydric soil characteristics. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Salt Crust (B11) Water Marks (B1) (Riverine) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) \boxtimes Drift Deposits (B3) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) \boxtimes Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) Water-Stained Leaves (B9) Other (Explain in Remarks) \boxtimes FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): ~20" from top of Water Table Present? Yes \boxtimes No Depth (inches): Saturation Present? Wetland Hydrology Present? Yes \boxtimes No Depth (inches): To top of pit (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is supported at this site. Wetland area has ponded surface water. Surrounded by uplands of snowberry on rocky slopes.

Project Site: Ring Lake Estates		City/Count	y: Medical Lake/Spokane	Sampling Date:	4/6/21	
Applicant/Owner: S. Emtman			State: WA	Sampling Point:	<u>10</u>	
Investigator(s): S. Gilmore		Section, To	ownship, Range: Sec 19, T24N, R41	<u>E</u>		
Landform (hillslope, terrace, etc.): Valley	Lo	ocal relief (cor	ncave, convex, none): concave	Slop	pe (%): 2	
Subregion (LRR): Columbia/ Snake River Plateau	Lat: <u>47°33'46.82"N</u>		Long: <u>117°41'13.15"W</u>	Datum: <u>V</u>	<u>VGS84</u>	
Soil Map Unit Name: Rocky-Fourmound complex			NWI classif	ication: <u>Emerger</u>	<u>1t</u>	
Are climatic / hydrologic conditions on the site typic	cal for this time of year?	Yes 🛛	No ☐ (If no, explain in Rer	narks.)		
Are Vegetation □, Soil □, or Hydrology	☐ significantly disturbe	d? Are "	Normal Circumstances" present?	Yes	⊠ No	
Are Vegetation ☐, Soil ☐, or Hydrology	naturally problemation	:? (If ne	eded, explain any answers in Remark	s.)		
SUMMARY OF FINDINGS - Attach site map sh	nowing sampling poin	t locations,	transects, important features,	etc.		
Hydrophytic Vegetation Present?	Yes ⊠ No □					
Hydric Soil Present?	Yes □ No ☒	Is the Sam	pled Area within a Wetland?	Yes	□ No	⋈
Wetland Hydrology Present?	Yes □ No ☒					
Remarks: Test site near TS 9, northwest side of open	water near the northwest	ide of the pro	nerty.			
·		side of the pro	репу.			
VEGETATION – Use scientific names of plants	S. Absolute Dominant	Indicator	Г			
Tree Stratum (Plot size:)	% Cover Species?	Status	Dominance Test Worksheet:			
1			Number of Dominant Species	<u>1</u>		(A)
2			That Are OBL, FACW, or FAC:	<u> </u>		(, ,)
3.			Total Number of Dominant	<u>2</u>		(B)
4			Species Across All Strata:	=		(5)
50% =, 20% =	= Total Cove	er	Percent of Dominant Species	<u>50</u>		(A/B)
Sapling/Shrub Stratum (Plot size:20' x 20')			That Are OBL, FACW, or FAC:			(705)
1. <u>Snowberry (Symphoricarpos albus)</u>	<u>50</u> <u>yes</u>	<u>FACU</u>	Prevalence Index worksheet:			
2			Total % Cover of :	Multiply	<u>y by:</u>	
3.			OBL species	x1 =		
4			FACW species 100	x2 =	<u>200</u>	
5			FAC species	x3 =		
50% = <u>25,</u> 20% = <u>10</u>	<u>50</u> = Total Cove	er	FACU species <u>50</u>	x4 =	<u>200</u>	
Herb Stratum (Plot size: 20' x 20')			UPL species	x5 =		
1. Reed canarygrass (Phalaris arundinacea)	<u>100</u> <u>yes</u>	FACW	Column Totals: 150 (A)		<u>400</u> (B)	
2.			Prevalence Ind	ex = B/A = 2.7		
3.			Hydrophytic Vegetation Indicators			
4.			☐ Dominance Test is >50%			
5.			☐ Prevalence Index is <u><</u> 3.0	\ 1		
6.	<u> </u>		Morphological Adaptatio		artina	
7			data in Remarks or on a		orung	
8.			☐ Problematic Hydrophytic	Negatation 1 /Fym	lain)	
50% = <u>50</u> , 20% = <u>20</u>	100 = Total Cove		Problematic Hydrophytic	vegetation (Exp	iain)	
<u>Woody Vine Stratum</u> (Plot size:)	<u>100</u> – 10tai Cove	71	¹ Indicators of hydric soil and wetland	d hydrology must		
1.			be present, unless disturbed or prob	lematic.		
2.						
	= Total Cove		Hydrophytic Vegetation	Yes ⊠	No	
50% =, 20% =			Present?	-		1
% Bare Ground in Herb Stratum 0	% Cover of Biotic Crust	<u>0</u>				
Remarks: Hydrophytic vegetation is supported	ed at this test site.					

SOIL Sampling Point: 10 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features Color (moist) **Texture** (inches) % Color (Moist) Type¹ Loc² Remarks 10YR 2/2 0-21 100 Sandy loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) П Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes No \boxtimes Remarks: Soils do not support hydric soil characteristics; no redox features or odor. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Salt Crust (B11) Water Marks (B1) (Riverine) Surface Water (A1) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) П Water-Stained Leaves (B9) Other (Explain in Remarks) FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? No \boxtimes \boxtimes Yes No Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed. Weland hydrology is not supported at this site. Soils do not appear to stay satruated into the growing season; appearing well drained.

Project Site: Ring Lake Estates			City/Count	y: Medical Lake/Spokane	Sampling I	Date: <u>4</u>	<u>/6/21</u>	
Applicant/Owner: S. Emtman				State: WA	Sampling F	oint: <u>1</u>	<u>1</u>	
Investigator(s): S. Gilmore			Section, To	ownship, Range: <u>Sec 19, T24N, R</u>	<u>41E</u>			
Landform (hillslope, terrace, etc.): Valley		Loc	al relief (con	ncave, convex, none): concave		Slope	(%): <u>2</u>	<u>.</u>
Subregion (LRR): <u>Columbia/</u> Snake River Plateau	Lat: <u>47°3</u>	33'45.15"N		Long: <u>117°41'15.96"W</u>	Datu	m: <u>WG</u>	<u>S84</u>	
Soil Map Unit Name: Rocky-Fourmound complex				NWI clas	sification: Em	ergent		
Are climatic / hydrologic conditions on the site typi	cal for this tim	e of year?	Yes 🛛	No ☐ (If no, explain in R	lemarks.)			
Are Vegetation ☐, Soil ☐, or Hydrology	significa	antly disturbed?	Are "I	Normal Circumstances" present?		Yes 🗵	No	o 🗆
Are Vegetation ☐, Soil ☐, or Hydrology	☐ naturally	y problematic?	(If ne	eded, explain any answers in Rema	arks.)			
SUMMARY OF FINDINGS - Attach site map sh	nowing sam	pling point	locations,	transects, important features	s, etc.			
Hydrophytic Vegetation Present?	Yes 🛛	No 🗆						
Hydric Soil Present?	Yes 🏻	No 🗆	Is the Sam	pled Area within a Wetland?		Yes ⊠) No	- I
Wetland Hydrology Present?	Yes 🏻	No 🗆						
			•					
Remarks: Test site near the northwest portion of the p		nali depressioi	1.					
VEGETATION – Use scientific names of plants	S. Absolute	Dominant	Indicator					
Tree Stratum (Plot size:)	% Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet:				
1				Number of Dominant Species	4			(4)
2				That Are OBL, FACW, or FAC:	<u>1</u>			(A)
3.				Total Number of Dominant				(D)
4				Species Across All Strata:	<u>1</u>			(B)
50% =, 20% =		= Total Cover		Percent of Dominant Species				
Sapling/Shrub Stratum (Plot size:)				That Are OBL, FACW, or FAC:	<u>10</u>	<u>00</u>		(A/B)
1				Prevalence Index worksheet:				
2.				Total % Cover of :	M	lultiply b	v:	
3.				OBL species		1 =	_	
4.				FACW species	x;	2 =		
5.				FAC species		3 =		
50% =, 20% =		= Total Cover		FACU species	Y/	4 =		
Herb Stratum (Plot size:20' x 20')		10101 00101		UPL species		· <u> </u>		
	100		ODI			, -	— ,	·D.\
Reed canarygrass (Phalaris arundinacea)	<u>100</u>	<u>yes</u>	<u>OBL</u>	Column Totals: (A)		_	((B)
2					ndex = B/A = <u>2</u>	<u>.2</u>		
3				Hydrophytic Vegetation Indicat				
4				☑ Dominance Test is >5				
5				☐ Prevalence Index is ≤	3.0 ¹			
6				Morphological Adapta			ing	
7				data in Remarks or or	a separate sh	eet)		
8				☐ Problematic Hydrophy	tic Vegetation ¹	(Explair	n)	
50% = <u>50</u> , 20% = <u>20</u>	<u>100</u>	= Total Cover						
Woody Vine Stratum (Plot size:)				¹ Indicators of hydric soil and wetla be present, unless disturbed or pr		nust		
1				be present, unless disturbed of pr	obiematic.			
2.				Undrankutia		-		
50% =, 20% =		= Total Cover		Hydrophytic Vegetation	Yes 🛭	\boxtimes	No	
% Bare Ground in Herb Stratum 0	% Cover o	f Biotic Crust	<u>0</u>	Present?				
Remarks: Hydrophytic vegetation is support								
rigatophiyao vogotation is support	5 at and tool	JJ.						

SOIL Sampling Point: 11

Profile Desc	cription: (Describe	to the dep	iii neede	u to u	ocument the indicat	01 01 00111	irm the abse	ence o	t indicato	ors.)					
Depth	Matrix				Redox Feat	tures									
(inches)	Color (moist)	<u>%</u>	Col	or (Moi	<u>st)</u> <u>%</u>	Type ¹	<u>Loc</u> ²		Texture	<u>Rem</u>	narks				
<u>0-6</u>	10YR 2/2	<u>90</u>	<u>10</u>	0YR 4/	<u>10</u>	<u>D</u>	<u>M</u>		Sandy loa	<u>am</u>					
<u>6-20</u>	10YR 2/2	<u>50</u>	<u>10</u>	0YR 5/2	<u>50</u>	<u>D</u>	<u>M</u>		Sandy loa	<u>am</u>					
			,					_		. <u>——</u>					
			,					_		. <u>——</u>					
			,					_		. <u>——</u>					
			,					_		. <u>——</u>					
¹ Type: C= Co	oncentration, D=Dep	letion, RM	=Reduce	ed Matr	ix, CS=Covered or Co	oated San	d Grains. ² l	Locatio	n: PL=Po	re Lining, M=Ma	trix.				
Hydric Soil I	Indicators: (Application	able to all	LRRs, u	nless	otherwise noted.)				Indic	ators for Proble	ematic Hy	ydric S	oils³:		
☐ Histoso	ol (A1)				Sandy Redox (S5)					1 cm Muck (A	9) (LRR C	;)			
☐ Histic E	Epipedon (A2)				Stripped Matrix (S6))				2 cm Muck (A	10) (LRR	B)			
☐ Black H	Histic (A3)				Loamy Mucky Mine	ral (F1)				Reduced Vert	tic (F18)				
☐ Hydrog	gen Sulfide (A4)				Loamy Gleyed Matr	ix (F2)				Red Parent M	laterial (TF	- 2)			
☐ Stratifie	ed Layers (A5) (LRF	R C)			Depleted Matrix (F3	()				Other (Explain	n in Rema	rks)			
☐ 1 cm M	Muck (A9) (LRR D)			\boxtimes	Redox Dark Surface	e (F6)									
☐ Deplete	ed Below Dark Surfa	ace (A11)			Depleted Dark Surfa	ace (F7)									
	Dark Surface (A12)	, ,			Redox Depressions					31 11 1 61					
_	Mucky Mineral (S1)				Vernal Pools (F9)	` ,				³ Indicators of I wetland hyd		_			
_	Gleyed Matrix (S4)				,						sturbed or				
	Layer (if present):														
		laver obse	erved.												
Type: No restrictive layer observed.															
Depth (Inches): Hydric Soils Present? Yes ⊠ No □											Yes	\boxtimes	No		
		c soil chara	acteristics	 S.			Hydric So	ils Pre	sent?		Yes		No		
Depth (Inche	es): Soils support hydri	c soil chara	acteristics	S.			Hydric So	ils Pre	sent?		Yes	×	No		
	Soils support hydri	c soil chara	acteristics	S.			Hydric So	ils Pre	sent?		Yes		No		
Remarks:	Soils support hydri		acteristics	S.			Hydric So	ils Pre	sent?		Yes	⊠	No		
Remarks: HYDROLO Wetland Hyo	Soils support hydri				: apply)		Hydric So	ils Pre		dary Indicators (
Remarks: HYDROLO Wetland Hyd Primary Indic	Soils support hydri				apply) Salt Crust (B11)		Hydric So	ils Pre	Secon	dary Indicators (: Water Marks (B1	2 or more	require			
Remarks: HYDROLO Wetland Hyd Primary Indic Surface	Soils support hydri GGY drology Indicators: cators (minimum of c			all that			Hydric So	ils Pre	Second		2 or more	require	ed)		
HYDROLO Wetland Hyd Primary Indic	Soils support hydriogy drology Indicators: cators (minimum of oce Water (A1)			all that	Salt Crust (B11)	es (B13)	Hydric So	ils Pre	Second V	Water Marks (B1	2 or more) (Riverin its (B2) (R	require e)	ed)		
HYDROLO Wetland Hyd Primary Indio Surface High V Satura	Soils support hydri PGY drology Indicators: cators (minimum of co coe Water (A1) Water Table (A2)	one require		all that	Salt Crust (B11) Biotic Crust (B12)		Hydric So	ils Pre	Second V	Water Marks (B1 Sediment Deposi	2 or more) (Riverin its (B2) (R	require e)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indic Surface High V Satura Water	Soils support hydri OGY drology Indicators: cators (minimum of of the Water (A1) Nater Table (A2) ation (A3)	one require	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate	dor (C1)			Second V	Water Marks (B1 Sediment Deposi Drift Deposits (B3	2 or more) (Riverin its (B2) (R 3) (Riverin	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indic	Soils support hydriogy drology Indicators: cators (minimum of oce Water (A1) Nater Table (A2) ation (A3) Marks (B1) (Nonriv	one require verine) Nonriverin	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O	dor (C1) eres along	Living Roots		Second V	Water Marks (B1 Sediment Deposi Drift Deposits (B3 Drainage Pattern	2 or more) (Riverin its (B2) (R 3) (Riverin as (B10) er Table (require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indic High V Satura Water Sedim Drift D	Soils support hydri OGY drology Indicators: cators (minimum of oce Water (A1) Nater Table (A2) ation (A3) Marks (B1) (Nonriv nent Deposits (B2) (Nonriv	one require verine) Nonriverin	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe	dor (C1) eres along ed Iron (C4	Living Roots		Second V	Water Marks (B1 Sediment Deposi Drift Deposits (B3 Drainage Pattern Dry-Season Wate	2 or more) (Riverin its (B2) (R 3) (Riverin is (B10) in (B10) in (B10) in (B10) in (B10) in (B10)	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indice Surface High V Satura Water Sedim Drift D Surface	Soils support hydri OGY drology Indicators: cators (minimum of coe Water (A1) Nater Table (A2) ation (A3) Marks (B1) (Nonriv ment Deposits (B2) (Nonriv Deposits (B3) (Nonriv	one require verine) Nonriverin verine)	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce	dor (C1) eres along ed Iron (C4 ion in Tille	Living Roots		Second	Water Marks (B1 Sediment Deposi Orift Deposits (B3 Orainage Pattern Ory-Season Wate Crayfish Burrows	2 or more) (Riverin its (B2) (R 3) (Riverin is (B10) er Table (G 6 (C8) e on Aeria	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indic Surface High V Satura Water Sedim Drift D Surface Inunda	Soils support hydri OGY drology Indicators: cators (minimum of of the Water (A1) Nater Table (A2) ation (A3) Marks (B1) (Nonriv thent Deposits (B2) (Nonriv the Soil Cracks (B6)	rerine) Nonriverine verine)	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce Recent Iron Reduction	dor (C1) eres along ed Iron (C4 ion in Tille (C7)	Living Roots		Second V	Water Marks (B1 Sediment Deposi Drift Deposits (B3 Drainage Pattern Dry-Season Wate Crayfish Burrows Saturation Visible	2 or more) (Riverin its (B2) (R 3) (Riverin is (B10) er Table (G 6 (C8) e on Aerial	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indic Surface High V Satura Water Sedim Drift D Surface Inunda	Soils support hydri OGY drology Indicators: cators (minimum of oce Water (A1) Nater Table (A2) ation (A3) Marks (B1) (Nonriv ent Deposits (B2) (Nonriv ce Soil Cracks (B6) ation Visible on Aeric -Stained Leaves (B8)	rerine) Nonriverine verine)	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce Recent Iron Reduct Thin Muck Surface	dor (C1) eres along ed Iron (C4 ion in Tille (C7)	Living Roots		Second V	Water Marks (B1 Sediment Deposit Orift Deposits (B3 Drainage Pattern Dry-Season Wate Crayfish Burrows Saturation Visible Shallow Aquitard	2 or more) (Riverin its (B2) (R 3) (Riverin is (B10) er Table (G 6 (C8) e on Aerial	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indice High V Satura Water Sedim Drift D Surface Inunda	Soils support hydri OGY drology Indicators: cators (minimum of oce Water (A1) Nater Table (A2) ation (A3) Marks (B1) (Nonriv ent Deposits (B2) (Nonriv ce Soil Cracks (B6) ation Visible on AeriaStained Leaves (B5) vations:	rerine) Nonriverine verine)	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce Recent Iron Reduct Thin Muck Surface	dor (C1) eres along ed Iron (C4 ion in Tille (C7) emarks)	Living Roots		Second V	Water Marks (B1 Sediment Deposit Orift Deposits (B3 Drainage Pattern Dry-Season Wate Crayfish Burrows Saturation Visible Shallow Aquitard	2 or more) (Riverin its (B2) (R 3) (Riverin is (B10) er Table (G 6 (C8) e on Aerial	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indice High V Satura Water Sedim Drift D Surface Inunda Water- Field Observ	Soils support hydri OGY drology Indicators: cators (minimum of comparts of the comparts of t	rerine) Nonriverin verine) al Imagery	d; check	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce Recent Iron Reduct Thin Muck Surface Other (Explain in Re	dor (C1) eres along ed Iron (C4 ion in Tille (C7) emarks)	Living Roots		Second V	Water Marks (B1 Sediment Deposit Orift Deposits (B3 Drainage Pattern Dry-Season Wate Crayfish Burrows Saturation Visible Shallow Aquitard	2 or more) (Riverin its (B2) (R 3) (Riverin is (B10) er Table (G 6 (C8) e on Aerial	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indice High V Satura Water Sedim Drift D Surface Inunda Water- Field Observ Surface Water	Soils support hydri OGY drology Indicators: cators (minimum of compared to the compared to the cators (minimum of compared to the cators (minimum of compared to the cators (minimum of compared to the cators (Marks (B1) (Nonriversity (B2) (Nonriversity (B3) (Nonriversity (B3) (Nonriversity (B4) (Nonriversity (Non	verine) Nonriverin verine) al Imagery	d; check e) (B7)	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce Recent Iron Reduct Thin Muck Surface Other (Explain in Re	dor (C1) eres along ed Iron (C4 ion in Tille (C7) emarks)	Living Roots	(C3)	Second V	Water Marks (B1 Sediment Deposit Orift Deposits (B3 Drainage Pattern Dry-Season Wate Crayfish Burrows Saturation Visible Shallow Aquitard	2 or more) (Riverin its (B2) (R 33) (Riverin its (B10) er Table ((5 (C8) e on Aeria I (D3) et (D5)	require e) tiverine ne)	ed)		
Remarks: HYDROLO Wetland Hyd Primary Indice High V Satura Water Sedim Drift D Surface Inunda Water- Field Observ Surface Water Water Table Saturation Pr (includes cap Describe Rec	Soils support hydri OGY drology Indicators: cators (minimum of oce Water (A1) Nater Table (A2) ation (A3) Marks (B1) (Nonriv cent Deposits (B2) (Nonriv ce Soil Cracks (B6) ation Visible on Aeria c-Stained Leaves (B5) vations: er Present? Present? Y resent? Y resent? Y resent? Y resent? Y resent? Y	verine) Nonriverin verine) al Imagery ()) (es (es (des)	d; check e) (B7) No No No	all that	Salt Crust (B11) Biotic Crust (B12) Aquatic Invertebrate Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce Recent Iron Reduct Thin Muck Surface Other (Explain in Re	dor (C1) eres along ed Iron (C4 ion in Tille (C7) emarks) at ~8"	Living Roots 4) d Soils (C6)	(C3)	Second Se	Water Marks (B1 Sediment Deposi Drift Deposits (B3 Drainage Pattern Dry-Season Wate Crayfish Burrows Saturation Visible Shallow Aquitard FAC-Neutral Tes	2 or more) (Riverin its (B2) (R 3) (Riverin its (B10) er Table (6 6 (C8) e on Aeria I (D3) st (D5)	require e) Everine ne) C2) I Image	ed) ∌) ery (C9)	No	

Remarks: Weland hydrology is supported at this site. Wetland area did not have ponded water. Uplands in pines, rocky.

US Army Corps of Engineers

Arid West – Version 2.0

Project Site: Ring Lake Estates		City/County: Medical Lake/Spokane	Sampling Date: 4/6/21	<u>L</u>
Applicant/Owner: S. Emtman		State: WA	Sampling Point: 12	
Investigator(s): S. Gilmore		Section, Township, Range: Sec 19, T24N, R4	<u>!1E</u>	
Landform (hillslope, terrace, etc.): Valley	Loc	cal relief (concave, convex, none): concave	Slope (%):	<u>2</u>
<u>Columbia/</u> Subregion (LRR): <u>Snake River</u> Plateau	Lat: <u>47°33'44.76"N</u>	Long: <u>117°41'9.34"W</u>	Datum: WGS84	
Soil Map Unit Name: Rocky-Fourmound complex		NWI class	sification: Emergent	
Are climatic / hydrologic conditions on the site typi	cal for this time of year?	Yes ⊠ No □ (If no, explain in R	emarks.)	
Are Vegetation □, Soil □, or Hydrology	_	? Are "Normal Circumstances" present?	, Yes ⊠	No 🗆
Are Vegetation □, Soil □, or Hydrology		·	ırks.)	_
3 = 7 = 7 37	_ /\	, , ,	,	
SUMMARY OF FINDINGS – Attach site map sl	nowing sampling point	locations, transects, important features	s, etc.	
Hydrophytic Vegetation Present?	Yes ⊠ No □			
Hydric Soil Present?	Yes □ No ☒	Is the Sampled Area within a Wetland?	Yes □	No 🛛
Wetland Hydrology Present?	Yes □ No ☒			
Remarks: Test site near TS 11, near the northwest sid	de of the property.			
VEGETATION – Use scientific names of plant	 S.			
Tree Stratum (Plot size:)	Absolute Dominant <u>% Cover Species?</u>	Indicator Status Dominance Test Worksheet:		
1		Number of Dominant Species	1	(4)
2		That Are OBL, FACW, or FAC:	<u>1</u>	(A)
3.		Total Number of Dominant	4	(D)
4		Species Across All Strata:	1	(B)
50% =, 20% =	= Total Cover	Percent of Dominant Species	400	(4.5)
Sapling/Shrub Stratum (Plot size:)		That Are OBL, FACW, or FAC:	<u>100</u>	(A/B)
1		Prevalence Index worksheet:		
2.		Total % Cover of :	Multiply by:	
3.		OBL species	x1 =	
4.		FACW species	x2 =	
5.		FAC species	x3 =	
50% =, 20% =	= Total Cover	_ '	x4 =	_
		' <u></u>	x5 =	_
Herb Stratum (Plot size: 20' x 20')	400	UPL species		- (D)
Reed canarygrass (Phalaris arundinacea)	<u>100</u> <u>yes</u>	FACW Column Totals: (A)		_ (B)
2			ex = B/A =	
3		Hydrophytic Vegetation Indicate		
4		Dominance Test is >5)%	
5		Prevalence Index is <	3.0 ¹	
6			tions ¹ (Provide supporting	
7		data in Remarks or on	a separate sheet)	
8		Problematic Hydrophy	tic Vegetation ¹ (Explain)	
50% = <u>50,</u> 20% = <u>20</u>	100 = Total Cover		,	
Woody Vine Stratum (Plot size:)		¹ Indicators of hydric soil and wetla		
1.		be present, unless disturbed or pr	элетпапс.	
2.				
50% = , 20% =	= Total Cover	Hydrophytic Vegetation	Yes ⊠ No	
% Bare Ground in Herb Stratum <u>0</u>	% Cover of Biotic Crust	Present?		
_				
Remarks: Hydrophytic vegetation is support	ed at this test site. Pine nee	ale aurr layer.		

SOIL Sampling Point: 12 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features (inches) Color (moist) % Color (Moist) Type¹ Loc² **Texture** Remarks 10YR 2/2 0-10 100 Sandy loam 10-20 10YR 3/2 100 Sandy loam ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Sandy Redox (S5) 1 cm Muck (A9) (LRR C) Histosol (A1) Histic Epipedon (A2) Stripped Matrix (S6) 2 cm Muck (A10) (LRR B) Black Histic (A3) Loamy Mucky Mineral (F1) Reduced Vertic (F18) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Red Parent Material (TF2) Stratified Layers (A5) (LRR C) Depleted Matrix (F3) Other (Explain in Remarks) 1 cm Muck (A9) (LRR D) П Redox Dark Surface (F6) Depleted Below Dark Surface (A11) Depleted Dark Surface (F7) Thick Dark Surface (A12) Redox Depressions (F8) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Vernal Pools (F9) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if present): Type: No restrictive layer observed. Depth (Inches): **Hydric Soils Present?** Yes No \boxtimes Remarks: Soils do not support hydric soil characteristics; no redox features or odor. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Water Marks (B1) (Riverine) Surface Water (A1) Salt Crust (B11) High Water Table (A2) Biotic Crust (B12) Sediment Deposits (B2) (Riverine) Saturation (A3) Aquatic Invertebrates (B13) Drift Deposits (B3) (Riverine) Water Marks (B1) (Nonriverine) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10) Sediment Deposits (B2) (Nonriverine) Oxidized Rhizospheres along Living Roots (C3) Dry-Season Water Table (C2) Drift Deposits (B3) (Nonriverine) Presence of Reduced Iron (C4) Crayfish Burrows (C8) Surface Soil Cracks (B6) Recent Iron Reduction in Tilled Soils (C6) Saturation Visible on Aerial Imagery (C9) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Thin Muck Surface (C7) П Water-Stained Leaves (B9) Other (Explain in Remarks) FAC-Neutral Test (D5) Field Observations: Surface Water Present? Yes No \boxtimes Depth (inches): \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? \boxtimes \boxtimes No Yes No Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Google Earth aerial photos, soil survey, NWI maps, and topographic map reviewed.

US Army Corps of Engineers Arid West – Version 2.0

Weland hydrology is not supported at this site. Soils do not appear to stay satruated into the growing season; appearing well drained.

RATING SUMMARY – Eastern Washington

Name of wetland (or ID #): Wetland 1 (Ri	ng Lake Estates) Date of site visit: 4/6/2021
Rated by S. Gilmore	Trained by Ecology? \underline{x} Yes $\underline{\hspace{0.2cm}}$ No Date of training $\underline{10/201}$
HGM Class used for rating Depressional	Wetland has multiple HGM classes?X_YN
NOTE: Form is not complete without Source of base aerial photo/map Source of base aerial photo/map	the figures requested (figures can be combined). See report
OVERALL WETLAND CATEGORY	II (based on functions X or special characteristics)

1. Category of wetland based on FUNCTIONS

	Category I — Total score = 22-27
X	Category II – Total score = 19-21
	Category III - Total score = 16-18
	Category IV — Total score = 9-15

FUNCTION	Improving Water Quality		Hydrologic				Habita				
Circle the appropriate ratings											
Site Potential	Н	M	L	$oxtlue{\mathbb{H}}$	М	L	Н	M	L		
Landscape Potential	Н	M	L	Н	М		Н	M	L		
Value	\oplus	М	L	Н	M	L	Н	M	L	TOTAL	
Score Based on Ratings		7			6			6		19	

Score for each function based on three ratings (order of ratings is not *important)* 9 = H,H,H8 = H,H,M7 = H,H,L 7 = H,M,M6 = H,M,L6 = M,M,M5 = H,L,L 5 = M,M,L4 = M,L,L3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY Circle the appropriate category		
Vernal Pools	II III		
Alkali	I		
Wetland of High Conservation Value	I		
Bog and Calcareous Fens	I		
Old Growth or Mature Forest – slow growing	I		
Aspen Forest	I		
Old Growth or Mature Forest – fast growing	II		
Floodplain forest	II		
None of the above	✓		

Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	See report
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

Slope Wetlands


Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense , rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	

HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1.	Does the	entire	unit m	eet both	of the	followir	ng criteria?
							0



NO – go to 2

YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
 - $\underline{}$ The wetland is on a slope (slope can be very gradual),
 - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
 - ___The water leaves the wetland without being impounded.

NO - go to 3

YES – The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - ____ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river:
 - ____ The overbank flooding occurs at least once every 10 years.

NO - go to 4

YES – The wetland class is **Riverine**

NOTE: The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 5

YES – The wetland class is **Depressional**

5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland name or number Wetland 1

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating	
Slope + Riverine	Riverine	
Slope + Depressional	Depressional	
Slope Lake Hinge	Lake Fringe	
Depressional + Riverine (the riverine portion is within	Depressional	
the boundary of depression)	2 001 000101101	
Depressional + Lake Fringe	Depressional	
Riverine + Lake Fringe	Riverine	

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing, unconstricted, surface outlet points = 1	5
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils) YES = 3 NO = 0	0
D 1.3. Characteristics of persistent vegetation (Emergent, Scrub-shrub, and/or Forested Cowardin classes) Wetland has persistent, ungrazed, vegetation for $> ^2/_3$ of area Wetland has persistent, ungrazed, vegetation from $^1/_3$ to $^2/_3$ of area Wetland has persistent, ungrazed vegetation from $^1/_{10}$ to $< ^1/_3$ of area Wetland has persistent, ungrazed vegetation $< ^1/_{10}$ of area points = 0	3
D 1.4. Characteristics of seasonal ponding or inundation: This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is ¼ - ½ total area of wetland Area seasonally ponded is < ¼ total area of wetland points = 1 Area seasonally ponded is < ¼ total area of wetland	3
Total for D 1 Add the points in the boxes above	11

Rating of Site Potential If score is: 12-16 = H \times 6-11 = M 0-5 = L

Record the rating on the first page

D 2.0. Does the landscape have the potential to support the water quality function of the	ite?		
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1	No = 0	0
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1	No = 0	0
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1	No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1- D 2.3? Source May have been grazing activities in past years		No = 0	1
Total for D 2 Add the points in	the boxe	s above	1

Rating of Landscape Potential If score is: 3 or 4 = H \times 1 or 2 = M \times 0 = L Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or lake that is on the 303(d) list? Yes = 1 No = 0	0
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in some aquatic resource [303(d) list, eutrophic lakes, problems with nuisance and toxic algae]? Yes = 1 No = 0	1
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the drainage or basin in which the wetland is found)? Yes = 2 No = 0	2
Total for D 3 Add the points in the boxes above	3

<u>Rating of Value</u> If score is: <u>X</u> **2-4 = H ___1 = M ___0 = L**

Record the rating on the first page

<u>DEPRESSIONAL WETLANDS</u> Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.	Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing unconstricted surface outlet (If outlet is a ditch and not permanently flowing treat wetland as "intermittently flowing")	8
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or deepest part (if dry). Seasonal ponding: > 3 ft above the lowest point in wetland or the surface of permanent ponding points = 8 Seasonal ponding: 2 ft - < 3 ft above the lowest point in wetland or the surface of permanent pondingpoints = 6 The wetland is a headwater wetland points = 4 Seasonal ponding: 1 ft - < 2 ft points = 4 Seasonal ponding: 6 in - < 1 ft points = 2 Seasonal ponding: < 6 in or wetland has only saturated soils points = 0	6
Total for D 4 Add the points in the boxes above	14

Rating of Site Potential If score is: X 12-16 = H 6-11 = M 0-5 = L

Record the rating on the first page

D 5.0. Does the landscape have the potential to support the hydrologic functions of the	site?	
D 5.1. Does the wetland receive stormwater discharges?	Yes = 1 No = 0	0
D 5.2. Is > 10% of the area within 150 ft of the wetland in a land use that generates runoff?	Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human la	and uses? Yes = 1 No = 0	0
Total for D 5 Add the point	s in the boxes above	0

Rating of Landscape Potential If score is: 3 = H 1 or 2 = M X 0 = L

Record the rating on the first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?				
D 6.1. The wetland is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND				
Flooding occurs in sub-basin that is immediately down-gradient of wetland points = 2 Surface flooding problems are in a sub-basin farther down-gradient points = 1				
The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.				
Explain why points = 0				
There are no problems with flooding downstream of the wetland points = 0				
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0				
Total for D 6 Add the points in the boxes above	1			

Rating of Value If score is: 2-4 = H X 1 = M 0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	(only 1 score per
H 1.0. Does the wetland have the potential to provide habitat for many species?	box)
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover	
Emergent plants >12-40 in (>30-100 cm) high are the highest layer with >30% cover Emergent plants > 40 in (> 100 cm) high are the highest layer with >30% cover Scrub-shrub (areas where shrubs have >30% cover) Forested (areas where trees have >30% cover) 3 checks: points = 2 2 checks: points = 1 1 check: points = 0	1
H 1.2. Is one of the vegetation types Aquatic Bed? Yes = 1 No = 0	0
H 1.3. Surface water H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands. Yes = 3 points & go to H 1.4 No = go to H 1.3.2 H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No. Yes = 3 No = 0	3
H 1.4. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold. You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Russian olive, Phragmites, Canadian thistle, yellow-flag iris, and saltcedar (Tamarisk) # of species 3 Scoring: > 9 species: points = 2 4-9 species: points = 1 < 4 species: points = 0	0
H 1.5. Interspersion of habitats Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high.	Figure see repor
None = 0 points Low = 1 point Moderate = 2 points All three diagrams in this row are High = 3 points	1
Riparian braided channels with 2 classes	

Check the habitat features that are present in the wetland. The number of checks is the number of points.	
Loose rocks larger than 4 in OR large, downed, woody debris (> 4 in diameter) within the area of surface	
ponding or in stream.	
<u>x</u> Cattails or bulrushes are present within the wetland.	
\times Standing snags (diameter at the bottom > 4 in) in the wetland or within 30 m (100 ft) of the edge.	
Emergent or shrub vegetation in areas that are permanently inundated/ponded.	
X Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 45 degree	
slope) OR signs of recent beaver activity	
Invasive species cover less than 20% in each stratum of vegetation (canopy, sub-canopy, shrubs,	
herbaceous, moss/ground cover)	
Total for H 1 Add the points in the boxes above 8	

Rating of Site Potential If score is: 15-18 = H χ 7-14 = M 0-6 = L Record the rating on the first page

H 2.0. Does the landscape have the potential to support habitat functions of the site?					
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:					
Calculate: % undisturbed habitat $\frac{50}{}$ + [(% moderate and low intensity land uses)/2] $\frac{25}{}$ = $\frac{75}{}$ %					
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3					
20-33% of 1km Polygon points = 2	1				
10-19% of 1km Polygon points = 1					
<10% of 1km Polygon points = 0					
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.					
Calculate: % undisturbed habitat $\frac{40}{100}$ + [(% moderate and low intensity land uses)/2] $\frac{20}{100}$ = $\frac{60}{100}$ %					
Undisturbed habitat > 50% of Polygon points = 3					
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2					
Undisturbed habitat 10 - 50% and > 3 patches points = 1					
Undisturbed habitat < 10% of Polygon points = 0					
H 2.3. Land use intensity in 1 km Polygon:					
> 50% of Polygon is high intensity land use points = (-2)					
Does not meet criterion above points = 0					
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by					
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of					
reclamation areas, irrigation districts, or reservoirs $Yes = 3$ No = 0	-				
Total for H 2 Add the points in the boxes above	2				

H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose the highest score	
that applies to the wetland being rated	1
Site meets ANY of the following criteria: points = 2	I
 — It has 3 or more priority habitats within 100 m (see Appendix B) 	
 It provides habitat for Threatened or Endangered species (any plant or animal on state or federal lists) 	
It is mapped as a location for an individual WDFW species	I
 It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 	I
💢 It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	1
Shoreline Master Plan, or in a watershed plan	
Site has 1 or 2 priority habitats within 100 m (see Appendix B) points = 1	I
Site does not meet any of the criteria above points = 0	

Rating of Value If score is: 2 = H $\chi 1 = M$ 0 = L Record the rating on the first page

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Vernal pools	
Is the wetland less than 4000 ft ² , and does it meet at least two of the following criteria?	
— Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater	
input.	
— Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as	
basalt or clay.	
— Surface water is present for less than 120 days during the wet season.	
Yes – Go to SC 1.1 No = Not a vernal pool	
SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other	Cat. II
wetlands, rivers, lakes etc.)? Yes = Category II No = Category III	Cat. III
	cut
SC 2.0. Alkali wetlands	
Does the wetland meet one of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
- If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of	
salt.	
OR does the wetland unit meet two of the following three sub-criteria?	
— Salt encrustations around more than 75% of the edge of the wetland	
— More than ¾ of the plant cover consists of species listed on Table 4	
— A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands	
may also have a high pH. Thus, pH alone is not a good indicator of alkali wetlands.	Cat. I
Yes = Category No= Not an alkali wetland	
res dategory. No Not an aman westand	
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 3.2 No – Go to SC 3.3	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	Cat. I
Yes = Category I No = Not a WHCV	Cal. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV	
SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Yalue and it is listed	
on their website? Yes = Category No =Not a WHCV	

SC 4.0 Bogs and Calcareous Fens	
Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in bogs or	
calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. If you answer yes	
you will still need to rate the wetland based on its functions.	
SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or	
mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to	
identify organic soils. Yes – Go to SC 4.3 No – Go to SC 4.2	
SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over	
bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or	
pond? Yes – Go to SC 4.3 No = Is not a bog for rating	
SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of	
the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion	
by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0	
and the plant species in Table 5 are present, the wetland is a bog.	
SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western	
hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species	Cat. I
(or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy?	Cat. I
Yes = Category I bog No – Go to SC 4.5	
SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats and	
mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to SC 4.6	
SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and mucks,	
AND one of the two following conditions is met:	
 — Marl deposits [calcium carbonate (CaCO₃) precipitate] occur on the soil surface or plant stems 	Cat. I
— The pH of free water is ≥ 6.8 AND electrical conductivity is ≥ 200 uS/cm at multiple locations within the	
wetland Yes = Is a Category I calcareous fer No = Is not a calcareous fen	

SC 5.0. Forested Wetlands				
Does the wetland have an area of forest rooted within its boundary that meets at least one of				
the following three criteria? (Continue only if you have identified that a forested class is present in question H 1.1)				
— The wetland is within the 100 year floodplain of a river or stream				
 Aspen (Populus tremuloides) represents at least 20% of the total cover of woody species 				
— There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or				
"old-growth" according to the definitions for these priority habitats developed by WDFW				
(see definitions in question H3.1)				
Yes – Go to SC 5.1 No = Not a forested wetland with special characteristics				
SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow	Cat. I			
growing native trees (see Table 7)? Yes = Category I No – Go to SC 5.2	i			
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover				
of woody species? Yes = Category I No – Go to SC 5.3	İ			
SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by cover) are fast growing species (see Table 7)? Yes = Category II No – Go to SC 5.4	Cat. II			
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream?	i			
Yes = Category II No = Not a forested wetland with special characteristics	Cat. II			
res - category in the - Not a lorested wetland with special characteristics				
	1			
Category of wetland based on Special Characteristics Choose the highest rating if wetland falls into several categories	N/A			

RATING SUMMARY – Eastern Washington

Name of wetland (or ID #): Wetland 2 (R	ing Lake Estates) Date of site visit: 4/6/2021
Rated by S. Gilmore	Trained by Ecology? <u>x</u> Yes No Date of training 10/2014
HGM Class used for rating Depressiona	Metland has multiple HGM classes?x_YN
NOTE: Form is not complete without Source of base aerial photo/map	t the figures requested (<i>figures can be combined</i>). See report
OVERALL WETLAND CATEGORY	(based on functions or special characteristicsx_)
1. Category of wetland based or	n FUNCTIONS

Category I – Total score = 22-27
Category II - Total score = 19-21
Category III - Total score = 16-18
Category IV — Total score = 9-15

FUNCTION	Improving Water Quality		H	ydrolo	ogic	Habitat				
			Circle	the a	ppropi	riate ro	itings	i		
Site Potential	Н	М	L	Н	М	L	Н	М	L	
Landscape Potential	Н	М	L	Н	М	L	Н	М	L	
Value	Н	М	L	Н	М	L	Н	М	L	TOTAL
Score Based on Ratings										

Score for each function based on three ratings (order of ratings is not *important)* 9 = H,H,H

- 8 = H,H,M7 = H,H,L
- 7 = H,M,M
- 6 = H,M,L6 = M,M,M
- 5 = H,L,L
- 5 = M,M,L
- 4 = M,L,L3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY Circle the appropriate category			
Vernal Pools	II III			
Alkali	I			
Wetland of High Conservation Value	I			
Bog and Calcareous Fens	I			
Old Growth or Mature Forest – slow growing	I			
Aspen Forest	I			
Old Growth or Mature Forest – fast growing	II			
Floodplain forest	II			
None of the above				

Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	See report
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	

HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1.	Does the	entire	unit meet	both	of the	following	criteria?

___The vegetated part of the wetland is on the water side of the Ordinary High Water Mark of a body of permanent open water (without any plants on the surface) that is at least 20 ac (8 ha) in size ___At least 30% of the open water area is deeper than 10 ft (3 m)

NO – go to 2

YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
 - $\underline{}$ The wetland is on a slope (slope can be very gradual),
 - <u>×</u> The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
 - ___The water leaves the wetland without being impounded.

NO - go to 3

YES – The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - ___ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river;
 - ____ The overbank flooding occurs at least once every 10 years.

NO - go to 4

YES – The wetland class is **Riverine**

NOTE: The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 5

YES – The wetland class is **Depressional**

5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland name or number_Wetland 2

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope Lake Hinge	Lake Fringe
Depressional + Riverine (the riverine portion is within the boundary of depression)	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing, unconstricted, surface outlet points = 1	5
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils) YES = 3 NO = 0	0
D 1.3. Characteristics of persistent vegetation (Emergent, Scrub-shrub, and/or Forested Cowardin classes) Wetland has persistent, ungrazed, vegetation for $> ^2/_3$ of area Wetland has persistent, ungrazed, vegetation from $^1/_3$ to $^2/_3$ of area Wetland has persistent, ungrazed vegetation from $^1/_{10}$ to $< ^1/_3$ of area Wetland has persistent, ungrazed vegetation $< ^1/_{10}$ of area points = 0	3
D 1.4. Characteristics of seasonal ponding or inundation: This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is ¼ - ½ total area of wetland Area seasonally ponded is < ¼ total area of wetland points = 1 Area seasonally ponded is < ¼ total area of wetland	3
Total for D 1 Add the points in the boxes above	11

Rating of Site Potential If score is: 12-16 = H X 6-11 = M 0-5 = L

Record the rating on the first page

D 2.0. Does the landscape have the potential to support the water quality function of the	site?		
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1	No = 0	1
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1	No = 0	1
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1	No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in question D 2.1- D 2.3? Source Receives roadway runoff	s Yes = 1	No = 0	1
Total for D 2 Add the points	in the boxes	above	3

Rating of Landscape Potential If score is: X 3 or 4 = H ___1 or 2 = M ___0 = L

Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or lake that is on the 303(d) list? Yes = 1 No = 0	
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in some aquatic resource [303(d) list, eutrophic lakes, problems with nuisance and toxic algae]? Yes = 1 No = 0	1
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the drainage or basin in which the wetland is found)? Yes = 2 No = 0	2
Total for D 3 Add the points in the boxes above	3

<u>Rating of Value</u> If score is: <u>X</u> 2-4 = H ___1 = M ___0 = L

Record the rating on the first page

DEPRESSIONAL WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.		Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?		
Wetland has an intermittently flowing outlet po Wetland has a highly constricted permanently flowing outlet po	pints = 8 pints = 4 pints = 4 pints = 0	8
Seasonal ponding: 2 ft - < 3 ft above the lowest point in wetland or the surface of permanent ponding portion of the wetland is a headwater wetland portion of the surface of permanent ponding portion of the surface of	oints = 8	4
Total for D 4 Add the points in the boxe		12

Rating of Site Potential If score is: X 12-16 = H ___6-11 = M ___0-5 = L

Record the rating on the first page

D 5.0. Does the landscape have the potential to support the hydrologic functions of the s	ite?		
D 5.1. Does the wetland receive stormwater discharges?	Yes = 1	No = 0	1
D 5.2. Is > 10% of the area within 150 ft of the wetland in a land use that generates runoff?	Yes = 1	No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses? Yes = 1 No = 0		0	
Total for D 5 Add the points	in the boxe	s above	1

Rating of Landscape Potential If score is: 3 = H X 1 or 2 = M 0 = L

Record the rating on the first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. The wetland is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND Flooding occurs in sub-basin that is immediately down-gradient of wetland points = 2	
Surface flooding problems are in a sub-basin farther down-gradient points = 1 The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.	1
Explain why points = 0 There are no problems with flooding downstream of the wetland points = 0	
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6 Add the points in the boxes above	1

Rating of Value If score is: 2-4 = H $X_1 = M$ 0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	(only 1 score per
H 1.0. Does the wetland have the potential to provide habitat for many species?	box)
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover	
 Emergent plants >12-40 in (>30-100 cm) high are the highest layer with >30% cover Emergent plants > 40 in (> 100 cm) high are the highest layer with >30% cover 	
Scrub-shrub (areas where shrubs have >30% cover) X Forested (areas where trees have >30% cover) 3 checks: points = 2 2 checks: points = 1 1 check: points = 0	2
H 1.2. Is one of the vegetation types Aquatic Bed? Yes = 1 No = 0	0
H 1.3. Surface water H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands. Yes = 3 points & go to H 1.4 No = go to H 1.3.2 H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No. Yes = 3 No = 0	3
H 1.4. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold. You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Russian olive, Phragmites, Canadian thistle, yellow-flag iris, and saltcedar (Tamarisk) # of species 5 Scoring: > 9 species: points = 2 4-9 species: points = 1 < 4 species: points = 0	1
H 1.5. Interspersion of habitats Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high.	Figure see report
None = 0 points Low = 1 point Moderate = 2 points	2
All three diagrams in this row are High = 3 points Riparian braided channels with 2 classes	

H 1.6. Special habitat features	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
x Loose rocks larger than 4 in OR large, downed, woody debris (> 4 in diameter) within the area of surface	
ponding or in stream.	
Cattails or bulrushes are present within the wetland.	
\times Standing snags (diameter at the bottom > 4 in) in the wetland or within 30 m (100 ft) of the edge.	
Emergent or shrub vegetation in areas that are permanently inundated/ponded.	
x Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 45 degree	
slope) OR signs of recent beaver activity	3
Invasive species cover less than 20% in each stratum of vegetation (canopy, sub-canopy, shrubs,	3
herbaceous, moss/ground cover)	
Total for H 1 Add the points in the boxes above	4.4
	11

Rating of Site Potential If score is: 15-18 = H χ 7-14 = M 0-6 = L Record the rating on the first page

H 2.0. Does the landscape have the potential to support habitat functions of the site?	
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:	
Calculate: % undisturbed habitat $\frac{60}{}$ + [(% moderate and low intensity land uses)/2] $\frac{20}{}$ = $\frac{80}{}$ %	
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3	
20-33% of 1km Polygon points = 2	1
10-19% of 1km Polygon points = 1	
<10% of 1km Polygon points = 0	
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.	
Calculate: % undisturbed habitat $\frac{30}{100}$ + [(% moderate and low intensity land uses)/2] $\frac{30}{100}$ = $\frac{60}{100}$ %	
Undisturbed habitat > 50% of Polygon points = 3	1
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2	
Undisturbed habitat 10 - 50% and > 3 patches points = 1	
Undisturbed habitat < 10% of Polygon points = 0	
H 2.3. Land use intensity in 1 km Polygon:	
> 50% of Polygon is high intensity land use points = (- 2)	0
Does not meet criterion above points = 0	
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by	
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of	0
reclamation areas, irrigation districts, or reservoirs Yes = 3 No = 0	,
Total for H 2 Add the points in the boxes above	2

Rating of Landscape Potential If score is: 4-9 = H X 1-3 = M Record the rating on the first page

H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose the highest score	
that applies to the wetland being rated	
Site meets ANY of the following criteria: points = 2	
 — It has 3 or more priority habitats within 100 m (see Appendix B) 	
 It provides habitat for Threatened or Endangered species (any plant or animal on state or federal lists) 	
 — It is mapped as a location for an individual WDFW species 	
 — It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 	
X It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	1
Shoreline Master Plan, or in a watershed plan	•
Site has 1 or 2 priority habitats within 100 m (see Appendix B) points = 1	
Site does not meet any of the criteria above points = 0	

Rating of Value If score is: 2 = H $x_1 = M$ 0 = L Record the rating on the first page

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	Category
SC 1.0. Vernal pools	
Is the wetland less than 4000 ft² , and does it meet at least two of the following criteria?	
— Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater	
input.	
Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as	
basalt or clay.	
— Surface water is present for less than 120 days during the wet season.	
Yes – Go to SC 1.1 No = Not a vernal pool	
SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other	Cat. II
wetlands, rivers, lakes etc.)? Yes = Category II No = Category III	Cat. III
SC 2.0. Alkali wetlands	
Does the wetland meet one of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
— If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of	
salt.	
OR does the wetland unit meet two of the following three sub-criteria?	
— Salt encrustations around more than 75% of the edge of the wetland	
— More than ¾ of the plant cover consists of species listed on Table 4	
— A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands	
may also have a high pH. Thus, pH alone is not a good indicator of alkali y edands.	Cat. I
Yes = Category No= Not an alkali wetland	
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 3.2 No – Go to SC 3.3	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I No = Not a WHCV	Cat. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV	
SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Yalue and it is listed	
on their website? Yes = Category No =Not a WHCV	
on their website:	

SC 4.0 Bogs and Calcareous Fens Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in bogs or calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. If you answer yes you will still need to rate the wetland based on its functions. SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to Yes - Go to **SC 4.3** No - Go to **SC 4.2** identify organic soils. SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or Yes – Go to **SC 4.3** No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No - Go to SC 4.4 NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the plant species in Table 5 are present, the wetland is a bog. SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species Cat. I (or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy? Yes = Category I bog No - Go to SC 4.5 SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats and mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to SC 4.6 SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and mucks,

— Marl deposits [calcium carbonate (CaCO₃) precipitate] occur on the soil surface or plant stems

— The pH of free water is \geq 6.8 AND electrical conductivity is \geq 200 uS/cm at analogue locations within the

Yes = Is a Category I calcareous fer No = Is not a calcareous fen

SC 5.0. Forested Wetlands	
Does the wetland have an area of forest rooted within its boundary that meets at least one of	
the following three criteria? (Continue only if you have identified that a forested class is present in question H 1.1)	
 The wetland is within the 100 year floodplain of a river or stream 	
Aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species	
— There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or	
"old-growth" according to the definitions for these priority habitats developed by WDFW	
(see definitions in question H3.1)	
Yes – Go to SC 5.1 No = Not a forested wetland with special characteristics	
SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow	Cat. I
growing native trees (see Table 7)? Yes = Category I No – Go to SC 5.2	
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover	Cat. I
of woody species? Yes = Category I No – Go to SC 5.3	
SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% or the tree species (by	Cat. II
cover) are fast growing species (see Table 7)? Yes = Category II No – Go to SC 5.4	
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream? Yes = Category II No = Not a forested wetland with special characteristics	Cat. II
Category of wetland based on Special Characteristics	
Choose the highest rating if wetland falls into several categories	
If you answered No for all types, enter "Not Applicable" on Summary Form	

AND one of the two following conditions is met:

wetland

Cat. I

RATING SUMMARY – Eastern Washington

Name of wetland (or ID #): Wetland 3 (Ri	ng Lake Estates) Date of site visit: 4/6/2021
Rated by S. Gilmore	Trained by Ecology? \underline{x} Yes $\underline{\hspace{0.2cm}}$ No Date of training $\underline{10/201}$
HGM Class used for rating Depressional	Wetland has multiple HGM classes?X_YN
NOTE: Form is not complete without Source of base aerial photo/map S	the figures requested (figures can be combined). See report
OVERALL WETLAND CATEGORY	II (based on functions X or special characteristics)

1. Category of wetland based on FUNCTIONS

	Category I — Total score = 22-27
X	Category II – Total score = 19-21
	Category III - Total score = 16-18
	Category IV — Total score = 9-15

FUNCTION	Improving Water Quality		H	lydrologic		Habitat				
			Circle	the a	ppropr	iate ro	ating	S		
Site Potential	Н	M	L	$oxtlue{\mathbb{H}}$	М	L	Н	M		
Landscape Potential	$oxed{\mathbb{H}}$	М	L	Н	M	L	Н	M	L	
Value	Œ	М	L	Н	M	L	Н	M	L	TOTAL
Score Based on Ratings		8			7			6		21

Score for each function based on three ratings (order of ratings is not *important)* 9 = H,H,H8 = H,H,M7 = H,H,L 7 = H, M, M6 = H,M,L 6 = M,M,M5 = H,L,L 5 = M,M,L4 = M,L,L3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY Circle the appropriate category
Vernal Pools	II III
Alkali	I
Wetland of High Conservation Value	I
Bog and Calcareous Fens	I
Old Growth or Mature Forest – slow growing	I
Aspen Forest	I
Old Growth or Mature Forest – fast growing	II
Floodplain forest	II
None of the above	✓

Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	See report
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	

HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1.	Does the	entire	unit meet	both	of the	following	criteria?

___The vegetated part of the wetland is on the water side of the Ordinary High Water Mark of a body of permanent open water (without any plants on the surface) that is at least 20 ac (8 ha) in size ___At least 30% of the open water area is deeper than 10 ft (3 m)

NO – go to 2

YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
 - $\underline{}$ The wetland is on a slope (slope can be very gradual),
 - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
 - ___The water leaves the wetland without being impounded.

NO - go to 3

YES – The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - ___ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river;
 - ____ The overbank flooding occurs at least once every 10 years.

NO - go to 4

YES – The wetland class is **Riverine**

NOTE: The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 5

YES – The wetland class is **Depressional**

5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland name or number Wetland 3

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope Lake Hinge	Lake Fringe
Depressional + Riverine (the riverine portion is within the boundary of depression)	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing, unconstricted, surface outlet points = 1	5
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils) YES = 3 NO = 0	0
D 1.3. Characteristics of persistent vegetation (Emergent, Scrub-shrub, and/or Forested Cowardin classes) Wetland has persistent, ungrazed, vegetation for $> ^2/_3$ of area Wetland has persistent, ungrazed, vegetation from $^1/_3$ to $^2/_3$ of area Wetland has persistent, ungrazed vegetation from $^1/_{10}$ to $< ^1/_3$ of area Wetland has persistent, ungrazed vegetation $< ^1/_{10}$ of area points = 0	3
D 1.4. Characteristics of seasonal ponding or inundation: This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is ¼ - ½ total area of wetland Area seasonally ponded is < ¼ total area of wetland points = 1 Area seasonally ponded is < ¼ total area of wetland points = 0	3
Total for D 1 Add the points in the boxes above	11

Rating of Site Potential If score is: 12-16 = H X 6-11 = M 0-5 = L

Record the rating on the first page

D 2.0. Does the landscape have the potential to support the water quality function of the site?			
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1	No = 0	1
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1	No = 0	1
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1	No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in question D 2.1- D 2.3? Source Receives roadway runoff	s Yes = 1	No = 0	1
Total for D 2 Add the points	in the boxes	above	3

Rating of Landscape Potential If score is: X 3 or 4 = H ___1 or 2 = M ___0 = L

Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or lake that is on the 303(d) list? Yes = 1 No = 0	0
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in some aquatic resource [303(d) list, eutrophic lakes, problems with nuisance and toxic algae]? Yes = 1 No = 0	1
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the drainage or basin in which the wetland is found)? Yes = 2 No = 0	2
Total for D 3 Add the points in the boxes above	3

<u>Rating of Value</u> If score is: <u>X</u> 2-4 = H ___1 = M ___0 = L

DEPRESSIONAL WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.		Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?		
D 4.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing unconstricted surface outlet (If outlet is a ditch and not permanently flowing treat wetland as "intermittently flowing")	= 4 = 4	8
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or deepest part (if dry). Seasonal ponding: > 3 ft above the lowest point in wetland or the surface of permanent ponding points. Seasonal ponding: 2 ft - < 3 ft above the lowest point in wetland or the surface of permanent pondingpoint. The wetland is a headwater wetland points. Seasonal ponding: 1 ft - < 2 ft points. Seasonal ponding: 6 in - < 1 ft points. Seasonal ponding: < 6 in or wetland has only saturated soils	s = 6 = 4 = 4 = 2	4
Total for D 4 Add the points in the boxes ab		12

Rating of Site Potential If score is: X 12-16 = H ___6-11 = M ___0-5 = L

Record the rating on the first page

D 5.0. Does the landscape have the potential to support the hydrologic functions of the	site?	
D 5.1. Does the wetland receive stormwater discharges?	Yes = 1 No = 0	1
D 5.2. Is > 10% of the area within 150 ft of the wetland in a land use that generates runoff?	Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses? Yes = 1 No = 0		0
Total for D 5 Add the point	s in the boxes above	1

Rating of Landscape Potential If score is: 3 = H X 1 or 2 = M 0 = L

Record the rating on the first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. The wetland is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND Flooding occurs in sub-basin that is immediately down-gradient of wetland points = 2	
Surface flooding problems are in a sub-basin farther down-gradient points = 1 The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.	1
Explain why points = 0 There are no problems with flooding downstream of the wetland points = 0	
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6 Add the points in the boxes above	1

Rating of Value If score is: 2-4 = H X 1 = M 0 = L

These questions apply to wetlands of all HGM classes.	(only 1
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	score per box)
H 1.0. Does the wetland have the potential to provide habitat for many species?	
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover Emergent plants >12-40 in (>30-100 cm) high are the highest layer with >30% cover Emergent plants > 40 in (> 100 cm) high are the highest layer with >30% cover	
 X Scrub-shrub (areas where shrubs have >30% cover) Forested (areas where trees have >30% cover) 4 or more checks: points = 3 3 checks: points = 2 2 checks: points = 1 1 check: points = 0 	2
H 1.2. Is one of the vegetation types Aquatic Bed? Yes = 1 No = 0	0
H 1.3. Surface water H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands. Yes = 3 points & go to H 1.4 No = go to H 1.3.2 H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No. Yes = 3 No = 0	3
H 1.4. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft ² . Different patches of the same species can be combined to meet the size threshold. You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Russian olive, Phragmites, Canadian thistle, yellow-flag iris, and saltcedar (Tamarisk) # of species 6 Scoring: > 9 species: points = 2 4-9 species: points = 1 < 4 species: points = 0	1
H 1.5. Interspersion of habitats Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high.	Figure see report
None = 0 points Low = 1 point Moderate = 2 points	2
All three diagrams in this row are High = 3 points Riparian braided channels with 2 classes	

H 1.6. Special habitat features	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	ı
x Loose rocks larger than 4 in OR large, downed, woody debris (> 4 in diameter) within the area of surface	
ponding or in stream.	ı
<u>x</u> Cattails or bulrushes are present within the wetland.	ı
\times Standing snags (diameter at the bottom > 4 in) in the wetland or within 30 m (100 ft) of the edge.	ı
Emergent or shrub vegetation in areas that are permanently inundated/ponded.	I
x Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 45 degree	1
slope) OR signs of recent beaver activity	4
Invasive species cover less than 20% in each stratum of vegetation (canopy, sub-canopy, shrubs,	1
herbaceous, moss/ground cover)	1
Total for H 1 Add the points in the boxes above	12

Rating of Site Potential If score is: 15-18 = H χ 7-14 = M 0-6 = L Record the rating on the first page

H 2.0. Does the landscape have the potential to support habitat functions of the site?	
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:	
Calculate: % undisturbed habitat $\frac{50}{}$ + [(% moderate and low intensity land uses)/2] $\frac{25}{}$ = $\frac{75}{}$ %	
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3	
20-33% of 1km Polygon points = 2	1
10-19% of 1km Polygon points = 1	
<10% of 1km Polygon points = 0	
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.	
Calculate: % undisturbed habitat $\frac{30}{100}$ + [(% moderate and low intensity land uses)/2] $\frac{30}{100}$ = $\frac{60}{100}$ %	
Undisturbed habitat > 50% of Polygon points = 3	1
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2	•
Undisturbed habitat 10 - 50% and > 3 patches points = 1	
Undisturbed habitat < 10% of Polygon points = 0	
H 2.3. Land use intensity in 1 km Polygon:	
> 50% of Polygon is high intensity land use points = (-2)	0
Does not meet criterion above points = 0	
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by	
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of	0
reclamation areas, irrigation districts, or reservoirs Yes = 3 No = 0	-
Total for H 2 Add the points in the boxes above	2

H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose the highest score	
that applies to the wetland being rated	
Site meets ANY of the following criteria: points = 2	
 — It has 3 or more priority habitats within 100 m (see Appendix B) 	
 It provides habitat for Threatened or Endangered species (any plant or animal on state or federal lists) 	
 — It is mapped as a location for an individual WDFW species 	
 — It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 	
$\frac{x}{x}$ It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	1
Shoreline Master Plan, or in a watershed plan	•
Site has 1 or 2 priority habitats within 100 m (see Appendix B) points = 1	
Site does not meet any of the criteria above points = 0	

Rating of Value If score is: 2 = H $x_1 = M$ 0 = L Record the rating on the first page

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Vernal pools	
Is the wetland less than 4000 ft ² , and does it meet at least two of the following criteria?	
— Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater	
input.	
— Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as	
basalt or clay.	
— Surface water is present for less than 120 days during the wet season.	
Yes – Go to SC 1.1 No = Not a vernal pool	
SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other	Cat. II
wetlands, rivers, lakes etc.)? Yes = Category II No = Category III	Cat. III
	cut
SC 2.0. Alkali wetlands	
Does the wetland meet one of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
- If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of	
salt.	
OR does the wetland unit meet two of the following three sub-criteria?	
— Salt encrustations around more than 75% of the edge of the wetland	
— More than ¾ of the plant cover consists of species listed on Table 4	
— A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands	
may also have a high pH. Thus, pH alone is not a good indicator of alkali wetlands.	Cat. I
Yes = Category No= Not an alkali wetland	
res dategory. No Not an aman westand	
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 3.2 No – Go to SC 3.3	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	Cat. I
Yes = Category I No = Not a WHCV	Cal. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV	
SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Yalue and it is listed	
on their website? Yes = Category No =Not a WHCV	

wetland

SC 4.0 Bogs and Calcareous Fens Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in bogs or calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. If you answer yes you will still need to rate the wetland based on its functions. SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to identify organic soils. Yes – Go to SC 4.3 No – Go to SC 4.2 SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. If you answer yes you will still need to rate the wetland based on its functions. SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to identify organic soils. Yes — Go to SC 4.3 No — Go to SC 4.2 SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes — Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No — Go to SC 4.4
you will still need to rate the wetland based on its functions. SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to identify organic soils. Yes — Go to SC 4.3 No — Go to SC 4.2 SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes — Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No — Go to SC 4.4
SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to identify organic soils. Yes – Go to SC 4.3 No – Go to SC 4.2 SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to identify organic soils. Yes – Go to SC 4.3 No – Go to SC 4.2 SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
identify organic soils. Yes – Go to SC 4.3 No – Go to SC 4.2 SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
pond? Yes – Go to SC 4.3 No = Is not a bog for rating SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4
· · · · · · · · · · · · · · · · · · ·
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion
by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0
and the plant species in Table 5 are present, the wetland is a bog.
SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western
hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species
(or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy?
Yes = Category I bog No – Go to SC 4.5
SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats and
mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to SC 4.6
SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and mucks,
AND one of the two following conditions is met:
 — Marl deposits [calcium carbonate (CaCO₃) precipitate] occur on the soil surface or plant stems Cat. I
— The pH of free water is ≥ 6.8 AND electrical conductivity is ≥ 200 uS/cm at multiple locations within the

SC 5.0. Forested Wetlands	
Does the wetland have an area of forest rooted within its boundary that meets at least one of	
the following three criteria? (Continue only if you have identified that a forested class is present	
in question H 1.1)	
 The wetland is within the 100 year floodplain of a river or stream 	
— Aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species	
— There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or	
"old-growth" according to the definitions for these priority habitats developed by WDFW	
(see definitions in question H3.1)	
Yes – Go to SC 5. No = Not a forested wetland with special characteristics	
SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow	Cat. I
growing native trees (see Table 7)? Yes = Category I No – Go to SC 5.2	
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover	Cat. I
of woody species? Yes = Category I No – Go to SC 5.3	
SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by	Cat. II
cover) are fast growing species (see Table 7)? Yes = Category II No – Go to SC 5.4	
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream?	Cat. II
Yes = Category II N) = Not a forested wetland with special characteristic	
Yes = Category II N) = Not a forested wetland with special characteristic	N/A

Yes = Is a Category I calcareous fer No = Is not a calcareous fen

RATING SUMMARY – Eastern Washington

Name of wetland (or ID #): Wetland 4	Ring Lake Estates) Date of site visit: 4/6/2021	
Rated by S. Gilmore	Trained by Ecology? <u>x</u> Yes No Date of training 10/2014	
HGM Class used for rating Depressio	nal Wetland has multiple HGM classes?x_YN	
NOTE: Form is not complete without the figures requested (figures can be combined). Source of base aerial photo/map See report		
OVERALL WETLAND CATEGOR	/ (based on functions_X_ or special characteristics)	

1. Category of wetland based on FUNCTIONS

	Category I – Total score = 22-27
X	Category II — Total score = 19-21
	Category III - Total score = 16-18
	Category IV - Total score = 9-15

FUNCTION	Improving Water Quality		Hydrologic		Habitat					
			Circle	the a	ppropr	iate ro	ating	S		
Site Potential	H M L			\Box	М	L	Н	M	L	
Landscape Potential	$oxed{\mathbb{H}}$	М	L	Н	M	L	Н	M	L	
Value	oximes	М	L	Н	M	L	Н	M	L	TOTAL
Score Based on Ratings		8			7			6		21

Score for each function based on three ratings (order of ratings is not important) 9 = H,H,H 8 = H,H,M 7 = H,H,L 7 = H,M,M 6 = H,M,L 6 = M,M,M 5 = H,L,L 5 = M,M,L 4 = M,L,L

3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY Circle the appropriate category
Vernal Pools	II III
Alkali	I
Wetland of High Conservation Value	I
Bog and Calcareous Fens	I
Old Growth or Mature Forest – slow growing	I
Aspen Forest	I
Old Growth or Mature Forest – fast growing	II
Floodplain forest	II
None of the above	\

Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	See report
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	

HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1.	Does the	entire	unit meet	both	of the	following	criteria?

___The vegetated part of the wetland is on the water side of the Ordinary High Water Mark of a body of permanent open water (without any plants on the surface) that is at least 20 ac (8 ha) in size ___At least 30% of the open water area is deeper than 10 ft (3 m)

NO – go to 2

YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
 - $\underline{}$ The wetland is on a slope (slope can be very gradual),
 - <u>×</u> The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
 - ___The water leaves the wetland without being impounded.

NO - go to 3

YES – The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - ____ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river:
 - ____ The overbank flooding occurs at least once every 10 years.

NO - go to 4

YES – The wetland class is **Riverine**

NOTE: The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 5

YES – The wetland class is **Depressional**

5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland name or number Wetland 4

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine (the riverine portion is within the boundary of depression)	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing, unconstricted, surface outlet points = 1	5
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils) YES = 3 NO = 0	0
D 1.3. Characteristics of persistent vegetation (Emergent, Scrub-shrub, and/or Forested Cowardin classes) Wetland has persistent, ungrazed, vegetation for $> ^2/_3$ of area Wetland has persistent, ungrazed, vegetation from $^1/_3$ to $^2/_3$ of area Wetland has persistent, ungrazed vegetation from $^1/_{10}$ to $< ^1/_3$ of area Wetland has persistent, ungrazed vegetation $< ^1/_{10}$ of area points = 0	3
D 1.4. Characteristics of seasonal ponding or inundation: This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is ¼ - ½ total area of wetland Area seasonally ponded is < ¼ total area of wetland points = 1 Area seasonally ponded is < ¼ total area of wetland	3
Total for D 1 Add the points in the boxes above	11

Rating of Site Potential If score is: 12-16 = H X 6-11 = M 0-5 = L

Record the rating on the first page

D 2.0. Does the landscape have the potential to support the water quality function of the	site?		
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1	No = 0	1
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1	No = 0	1
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1	No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in question D 2.1- D 2.3? Source Receives roadway runoff	s Yes = 1	No = 0	1
Total for D 2 Add the points	in the boxes	above	3

Rating of Landscape Potential If score is: X 3 or 4 = H ___1 or 2 = M ___0 = L

Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or lake that is on the 303(d) list? Yes = 1 No = 0	
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in some aquatic resource [303(d) list, eutrophic lakes, problems with nuisance and toxic algae]? Yes = 1 No = 0	1
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the drainage or basin in which the wetland is found)? Yes = 2 No = 0	2
Total for D 3 Add the points in the boxes above	3

<u>Rating of Value</u> If score is: <u>X</u> **2-4 = H ___1 = M ___0 = L**

DEPRESSIONAL WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.	Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing unconstricted surface outlet (If outlet is a ditch and not permanently flowing treat wetland as "intermittently flowing")	8
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or deepest part (if dry). Seasonal ponding: > 3 ft above the lowest point in wetland or the surface of permanent ponding points = Seasonal ponding: 2 ft - < 3 ft above the lowest point in wetland or the surface of permanent pondingpoints = The wetland is a headwater wetland Seasonal ponding: 1 ft - < 2 ft Seasonal ponding: 6 in - < 1 ft Seasonal ponding: < 6 in or wetland has only saturated soils	6 4 4 4 2
Total for D 4 Add the points in the boxes above	e 12

<u>Rating of Site Potential</u> If score is: X 12-16 = H ___6-11 = M ___0-5 = L

Record the rating on the first page

D 5.0. Does the landscape have the potential to support the hydrologic functions of the	site?	
D 5.1. Does the wetland receive stormwater discharges?	Yes = 1 No = 0	1
D 5.2. Is > 10% of the area within 150 ft of the wetland in a land use that generates runoff?	Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses? Yes = 1 No = 0		0
Total for D 5 Add the point	s in the boxes above	1

Rating of Landscape Potential If score is: 3 = H X 1 or 2 = M 0 = L

Record the rating on the first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. The wetland is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND Flooding occurs in sub-basin that is immediately down-gradient of wetland points = 2	
Surface flooding problems are in a sub-basin farther down-gradient points = 1 The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.	1
Explain why points = 0 There are no problems with flooding downstream of the wetland points = 0	
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6 Add the points in the boxes above	1

Rating of Value If score is: 2-4 = H X 1 = M 0 = L

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	(only 1 score per box)
H 1.0. Does the wetland have the potential to provide habitat for many species?	
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover	
Emergent plants >12-40 in (>30-100 cm) high are the highest layer with >30% cover Emergent plants > 40 in (> 100 cm) high are the highest layer with >30% cover Scrub-shrub (areas where shrubs have >30% cover) Forested (areas where trees have >30% cover) 3 checks: points = 2	
2 checks: points = 1 1 check: points = 0	2
H 1.2. Is one of the vegetation types Aquatic Bed? Yes = 1 No = 0	0
H 1.3. Surface water H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands. Yes = 3 points & go to H 1.4 No = go to H 1.3.2 H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No. Yes = 3 No = 0	3
H 1.4. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold. You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Russian olive, Phragmites, Canadian thistle, yellow-flag iris, and saltcedar (Tamarisk) # of species 6 Scoring: > 9 species: points = 2 4-9 species: points = 1 < 4 species: points = 0	1
H 1.5. Interspersion of habitats Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high.	Figure see repor
None = 0 points Low = 1 point Moderate = 2 points	2
All three diagrams in this row are High = 3 points	
Riparian braided channels with 2 classes	

H 1.6. Special habitat features	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
<u>×</u> Loose rocks larger than 4 in OR large, downed, woody debris (> 4 in diameter) within the area of surface	
ponding or in stream.	
<u>x</u> Cattails or bulrushes are present within the wetland.	
\times Standing snags (diameter at the bottom > 4 in) in the wetland or within 30 m (100 ft) of the edge.	
Emergent or shrub vegetation in areas that are permanently inundated/ponded.	
x Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 45 degree	
slope) OR signs of recent beaver activity	4
Invasive species cover less than 20% in each stratum of vegetation (canopy, sub-canopy, shrubs,	•
herbaceous, moss/ground cover)	
Total for H 1 Add the points in the boxes above	12

Rating of Site Potential If score is: ____**15-18 = H** $\underline{\chi}$ **7-14 = M** ____**0-6 = L** Record the rating on the first page

H 2.0. Does the landscape have the potential to support habitat functions of the site?	
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:	
Calculate: % undisturbed habitat $\frac{50}{}$ + [(% moderate and low intensity land uses)/2] $\frac{25}{}$ = $\frac{75}{}$ %	
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3	
20-33% of 1km Polygon points = 2	1
10-19% of 1km Polygon points = 1	
<10% of 1km Polygon points = 0	
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.	
Calculate: % undisturbed habitat $\frac{30}{100}$ + [(% moderate and low intensity land uses)/2] $\frac{30}{100}$ = $\frac{60}{100}$ %	
Undisturbed habitat > 50% of Polygon points = 3	1
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2	•
Undisturbed habitat 10 - 50% and > 3 patches points = 1	
Undisturbed habitat < 10% of Polygon points = 0	
H 2.3. Land use intensity in 1 km Polygon:	
> 50% of Polygon is high intensity land use points = (-2)	0
Does not meet criterion above points = 0	
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by	
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of	0
reclamation areas, irrigation districts, or reservoirs Yes = 3 No = 0	-
Total for H 2 Add the points in the boxes above	2

H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose the highest score	
that applies to the wetland being rated	1
Site meets ANY of the following criteria: points = 2	I
 — It has 3 or more priority habitats within 100 m (see Appendix B) 	
 It provides habitat for Threatened or Endangered species (any plant or animal on state or federal lists) 	
It is mapped as a location for an individual WDFW species	I
 It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 	I
💢 It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	1
Shoreline Master Plan, or in a watershed plan	
Site has 1 or 2 priority habitats within 100 m (see Appendix B) points = 1	I
Site does not meet any of the criteria above points = 0	

Rating of Value If score is: 2 = H $\chi 1 = M$ 0 = L Record the rating on the first page

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	Category
SC 1.0. Vernal pools	
Is the wetland less than 4000 ft² , and does it meet at least two of the following criteria?	
— Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater	
input.	
Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as	
basalt or clay.	
— Surface water is present for less than 120 days during the wet season.	
Yes – Go to SC 1.1 No = Not a vernal pool	
SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other	Cat. II
wetlands, rivers, lakes etc.)? Yes = Category II No = Category III	Cat. III
SC 2.0. Alkali wetlands	
Does the wetland meet one of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
— If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of	
salt.	
OR does the wetland unit meet two of the following three sub-criteria?	
— Salt encrustations around more than 75% of the edge of the wetland	
— More than ¾ of the plant cover consists of species listed on Table 4	
— A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands	
may also have a high pH. Thus, pH alone is not a good indicator of alkali y edands.	Cat. I
Yes = Category No= Not an alkali wetland	
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 3.2 No – Go to SC 3.3	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I No = Not a WHCV	Cat. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV	
SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Yalue and it is listed	
on their website? Yes = Category No =Not a WHCV	
on their websites	

SC 4.0 Bogs and Calcareous Fens	
Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in bogs or	
calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. If you answer yes	
you will still need to rate the wetland based on its functions.	
SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or	
mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to	
identify organic soils. Yes – Go to SC 4.3 No – Go to SC 4.2	
SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over	
bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or	
pond? Yes – Go to SC 4.3 No = Is not a bog for rating	
SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of	
the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion	
by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0	
and the plant species in Table 5 are present, the wetland is a bog.	
SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western	
hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species	Cat. I
(or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy?	
Yes = Category I bog No – Go to SC 4.5	
SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats and	
mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to SC 4.6	
SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and mucks,	
AND one of the two following conditions is met:	
 Marl deposits [calcium carbonate (CaCO₃) precipitate] occur on the soil surface or plant stems 	Cat. I
— The pH of free water is ≥ 6.8 AND electrical conductivity is ≥ 200 uS/cm at multiple locations within the	
wetland Yes = Is a Category I calcareous fer No = Is not a calcareous fen	

SC 5.0. Forested Wetlands	
Does the wetland have an area of forest rooted within its boundary that meets at least one of	
the following three criteria? (Continue only if you have identified that a forested class is present	
in question H 1.1)	
 The wetland is within the 100 year floodplain of a river or stream 	
— Aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species	
— There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or	
"old-growth" according to the definitions for these priority habitats developed by WDFW	
(see definitions in question H3.1)	
Yes – Go to SC 5. No = Not a forested wetland with special characteristics	
SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow	Cat. I
growing native trees (see Table 7)? Yes = Category I No – Go to SC 5.2	
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover	Cat. I
of woody species? Yes = Category I No – Go to SC 5.3	
SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by	Cat. II
cover) are fast growing species (see Table 7)? Yes = Category II No – Go to SC 5.4	
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream?	Cat II
, , , , , , , , , , , , , , , , , , , ,	Cat. II
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream?	Cat. II
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream? Yes = Category II N = Not a forested wetland with special characteristic.	Cat. II

RATING SUMMARY – Eastern Washington

Name of wetland (or ID #): Wetland 5 (Ril	ng Lake Estates) Date of site visit: 4/6/2021
Rated by S. Gilmore	Trained by Ecology? <u>x</u> Yes No Date of training 10/2014
HGM Class used for rating Depressional	Wetland has multiple HGM classes?X_YN
NOTE: Form is not complete without Source of base aerial photo/map Source	the figures requested (figures can be combined). See report
OVERALL WETLAND CATEGORY _	III (based on functions X or special characteristics)

1. Category of wetland based on FUNCTIONS

	Category I — Total score = 22-27
	Category II - Total score = 19-21
X	Category III - Total score = 16-18
	Category IV — Total score = 9-15

FUNCTION	Improving Water Quality		Н	Hydrologic		Habitat				
	Circle the appropriate ratings									
Site Potential	Н	M	L	Н	M	L	Н	М		
Landscape Potential	Н	М		Н	М		Н	M	L	
Value	\Box	М	L	Н	M	L	Н	M	L	TOTAL
Score Based on Ratings		6			5			5		16

Score for each function based on three ratings (order of ratings is not *important)* 9 = H,H,H 8 = H,H,M7 = H,H,L 7 = H,M,M6 = H,M,L 6 = M,M,M5 = H,L,L 5 = M,M,L4 = M,L,L3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY Circle the appropriate category
Vernal Pools	II III
Alkali	I
Wetland of High Conservation Value	I
Bog and Calcareous Fens	I
Old Growth or Mature Forest – slow growing	I
Aspen Forest	I
Old Growth or Mature Forest – fast growing	II
Floodplain forest	II
None of the above	\

Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	See report
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

Slope Wetlands


Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	

HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1.	Does the	entire	unit m	eet both	of the	followir	ng criteria?
							0



NO – go to 2

YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
 - $\underline{}$ The wetland is on a slope (slope can be very gradual),
 - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
 - ___The water leaves the wetland without being impounded.

NO - go to 3

YES – The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - ____ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river:
 - ____ The overbank flooding occurs at least once every 10 years.

NO - go to 4

YES – The wetland class is **Riverine**

NOTE: The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 5

YES – The wetland class is **Depressional**

5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland name or number Wetland 5

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope Lake Hinge	Lake Fringe
Depressional + Riverine (the riverine portion is within the boundary of depression)	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet Wetland has an intermittently flowing outlet Wetland has a highly constricted permanently flowing outlet Wetland has a permanently flowing, unconstricted, surface outlet points = 1	5
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils) YES = 3 NO = 0	0
D 1.3. Characteristics of persistent vegetation (Emergent, Scrub-shrub, and/or Forested Cowardin classes) Wetland has persistent, ungrazed, vegetation for $> ^2/_3$ of area Wetland has persistent, ungrazed, vegetation from $^1/_3$ to $^2/_3$ of area Wetland has persistent, ungrazed vegetation from $^1/_{10}$ to $< ^1/_3$ of area Wetland has persistent, ungrazed vegetation $< ^1/_{10}$ of area points = 0	5
D 1.4. Characteristics of seasonal ponding or inundation: This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is ¼ - ½ total area of wetland Area seasonally ponded is < ¼ total area of wetland points = 1 Area seasonally ponded is < ¼ total area of wetland points = 0	0
Total for D 1 Add the points in the boxes above	10

Rating of Site Potential If score is: 12-16 = H \times 6-11 = M 0-5 = L

Record the rating on the first page

D 2.0. Does the landscape have the potential to support the water quality function of the site?		
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1 No = 0	0
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1 No = 0	0
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1 No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in question	ns	
D 2.1- D 2.3? Source	Yes = 1 No = 0	0
Total for D 2 Add the points	in the boxes above	0

Rating of Landscape Potential If score is: ___3 or 4 = H ____1 or 2 = M __X_0 = L

Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or lake that is on the 303(d) list? Yes = 1 No = 0	0
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in some aquatic resource [303(d) list, eutrophic lakes, problems with nuisance and toxic algae]? Yes = 1 No = 0	1
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the drainage or basin in which the wetland is found)? Yes = 2 No = 0	2
Total for D 3 Add the points in the boxes above	3

<u>Rating of Value</u> If score is: <u>X</u> 2-4 = H ___1 = M ___0 = L

DEPRESSIONAL WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.		Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?		
Wetland has an intermittently flowing outlet power with the power of t	oints = 8 oints = 4 oints = 4 oints = 0	8
Seasonal ponding: 2 ft - < 3 ft above the lowest point in wetland or the surface of permanent pondingp The wetland is a headwater wetland Seasonal ponding: 1 ft - < 2 ft Seasonal ponding: 6 in - < 1 ft	oints = 8	0
Total for D 4 Add the points in the boxe		8

Rating of Site Potential If score is: 12-16 = H X 6-11 = M 0-5 = L

Record the rating on the first page

D 5.0. Does the landscape have the potential to support the hydrologic functions of the site?			
D 5.1. Does the wetland receive stormwater discharges?	Yes = 1	No = 0	0
D 5.2. Is $> 10\%$ of the area within 150 ft of the wetland in a land use that generates runoff? Yes = 1 No = 0		No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses? Yes = 1 No = 0		0	
Total for D 5 Add the points in the boxes above		0	

Rating of Landscape Potential If score is: 3 = H 1 or 2 = M X 0 = L

Record the rating on the first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. The wetland is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND	
Flooding occurs in sub-basin that is immediately down-gradient of wetland points = 2 Surface flooding problems are in a sub-basin farther down-gradient points = 1 The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.	
Explain why points = 0 There are no problems with flooding downstream of the wetland points = 0	
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	
Total for D 6 Add the points in the boxes above	1

Rating of Value If score is: 2-4 = H X 1 = M 0 = L

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	(only 1 score per box)
H 1.0. Does the wetland have the potential to provide habitat for many species?	
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover Emergent plants >12-40 in (>30-100 cm) high are the highest layer with >30% cover	
Emergent plants > 40 in (> 100 cm) high are the highest layer with >30% cover Scrub-shrub (areas where shrubs have >30% cover) Forested (areas where trees have >30% cover) 3 checks: points = 2 2 checks: points = 1 1 check: points = 0	1
H 1.2. Is one of the vegetation types Aquatic Bed? Yes = 1 No = 0	0
H 1.3. Surface water H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands. Yes = 3 points & go to H 1.4 No = go to H 1.3.2 H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No. Yes = 3 No = 0	0
H 1.4. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold. You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Russian olive, Phragmites, Canadian thistle, yellow-flag iris, and saltcedar (Tamarisk) # of species 2 Scoring: > 9 species: points = 2 4-9 species: points = 1 < 4 species: points = 0	0
H 1.5. Interspersion of habitats Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high.	Figure see repor
None = 0 points Low = 1 point Moderate = 2 points All three diagrams in this row are High = 3 points	0
Riparian braided channels with 2 classes	

Vetland name or number Wetland 5	
H 1.6. Special habitat features	
Check the habitat features that are present in the wetland. The number of checks is the number of points. Loose rocks larger than 4 in OR large, downed, woody debris (> 4 in diameter) within the area of surface	
ponding or in stream.	
Cattails or bulrushes are present within the wetland. Standing snags (diameter at the bottom > 4 in) in the wetland or within 30 m (100 ft) of the edge.	
Emergent or shrub vegetation in areas that are permanently inundated/ponded.	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 45 degree	
slope) OR signs of recent beaver activity	0
Invasive species cover less than 20% in each stratum of vegetation (canopy, sub-canopy, shrubs,	
herbaceous, moss/ground cover)	
Total for H 1 Add the points in the boxes above	1
Rating of Site Potential If score is: 15-18 = H 7-14 = M X 0-6 = L Record the rating on the first page	
H 2.0. Does the landscape have the potential to support habitat functions of the site?	
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:	
Calculate: % undisturbed habitat $\frac{100}{}$ + [(% moderate and low intensity land uses)/2] $\frac{0}{}$ = $\frac{100}{}$ %	
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3	
20-33% of 1km Polygon points = 2	0
10-19% of 1km Polygon points = 1	
<10% of 1km Polygon points = 0	
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.	
Calculate: % undisturbed habitat $\frac{30}{100}$ + [(% moderate and low intensity land uses)/2] $\frac{30}{100}$ = $\frac{60}{100}$ %	
Undisturbed habitat > 50% of Polygon points = 3	1
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2	'
Undisturbed habitat 10 - 50% and > 3 patches points = 1	
Undisturbed habitat < 10% of Polygon points = 0	
H 2.3. Land use intensity in 1 km Polygon:	
> 50% of Polygon is high intensity land use points = (- 2)	0
Does not meet criterion above points = 0	
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by	
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of	0
reclamation areas, irrigation districts, or reservoirs Yes = 3 No = 0	
Total for H 2 Add the points in the boxes above	1
Rating of Landscape Potential If score is: 4-9 = H X 1-3 = M Record the rating on the first page	
H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose the highest score	
that applies to the wetland being rated	
Site meets ANY of the following criteria: points = 2	
 — It has 3 or more priority habitats within 100 m (see Appendix B) 	
 — It provides habitat for Threatened or Endangered species (any plant or animal on state or federal lists) 	
 — It is mapped as a location for an individual WDFW species 	
It is a Wetland of High Conservation Value as determined by the Department of Natural Resources	
X It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	1
Shoreline Master Plan, or in a watershed plan	
Site has 1 or 2 priority habitats within 100 m (see Appendix B) points = 1	

Rating of Value If score is: 2 = H x 1 = M 0 = L Record the rating on the first page

Site does not meet any of the criteria above

points = 0

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Vernal pools	
Is the wetland less than 4000 ft² , and does it meet at least two of the following criteria?	
— Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater	
input.	
— Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as	
basalt or clay.	
 Surface water is present for less than 120 days during the wet season. 	
Yes – Go to SC 1.1 No = Not a vernal pool	
SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other	Cat. II
wetlands, rivers, lakes etc.)? Yes = Category II No = Category III	Cat. III
	cat. III
SC 2.0. Alkali wetlands	
Does the wetland meet one of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
— If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of	
salt.	
OR does the wetland unit meet two of the following three sub-criteria?	
— Salt encrustations around more than 75% of the edge of the wetland	
— More than ¾ of the plant cover consists of species listed on Table 4	
— A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands	
may also have a high pH. Thus, pH alone is not a good indicator of alkali wetlands.	Cat. I
Yes = Category No= Not an alkali wetland	
res dategory . No riot an amain metiana	
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 3.2 No – Go to SC 3.3	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	Cat. I
Yes = Category I No = Not a WHCV	Cat. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV	
SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and it is listed	
on their website? Yes = Category No =Not a WHCV	

wetland

SC 4.0 Bogs and Calcareous Fens	
Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in bogs or	
calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. If you answer yes you will still need to rate the wetland based on its functions.	
SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to identify organic soils. Yes – Go to SC 4.3 No – Go to SC 4.2	
SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 4.3 No = Is not a bog for rating	
SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4 NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the plant species in Table 5 are present, the wetland is a bog.	
SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species (or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy? Yes = Category I bog No – Go to SC 4.5	Cat. I
SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats and mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to SC 4.6 SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and mucks,	
AND one of the two following conditions is met: — Marl deposits [calcium carbonate (CaCO ₃) precipitate] occur on the soil surface or plant stems	Cat. I

— The pH of free water is ≥ 6.8 AND electrical conductivity is ≥ 200 uS/cm at multiple locations within the

Yes = Is a Category I calcareous fer No = Is not a calcareous fen


SC 5.0. Forested Wetlands	
Does the wetland have an area of forest rooted within its boundary that meets at least one of	
the following three criteria? (Continue only if you have identified that a forested class is present in question H 1.1)	
 The wetland is within the 100 year floodplain of a river or stream 	
 Aspen (Populus tremuloides) represents at least 20% of the total cover of woody species 	
— There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or	
"old-growth" according to the definitions for these priority habitats developed by WDFW	
(see definitions in question H3.1)	
Yes – Go to SC 5. No = Not a forested wetland with special characteristics	
SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow	Cat. I
growing native trees (see Table 7)? Yes = Category I No – Go to SC 5.2	30.0.1
growing native trees (see Table 7)? Yes = Category I No – Go to SC 5.2 SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover	Cat. I
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species? Yes = Category I No – Go to SC 5.3	
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species? Yes = Category I No – Go to SC 5.3 SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by	
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species? Yes = Category I No – Go to SC 5.3 SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by cover) are fast growing species (<i>see Table 7</i>)? Yes = Category II No – Go to SC 5.4	Cat. I
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species? Yes = Category I No – Go to SC 5.3 SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by cover) are fast growing species (<i>see Table 7</i>)? Yes = Category II No – Go to SC 5.4 SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream?	Cat. I
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species? Yes = Category I No – Go to SC 5.3 SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by cover) are fast growing species (<i>see Table 7</i>)? Yes = Category II No – Go to SC 5.4	Cat. I
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species? Yes = Category I No – Go to SC 5.3 SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by cover) are fast growing species (<i>see Table 7</i>)? Yes = Category II No – Go to SC 5.4 SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream? Yes = Category II No = Not a forested wetland with special characteristics Category of wetland based on Special Characteristics	Cat. I
SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species? Yes = Category I No – Go to SC 5.3 SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by cover) are fast growing species (<i>see Table 7</i>)? Yes = Category II No – Go to SC 5.4 SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream? Yes = Category II No = Not a forested wetland with special characteristics	Cat. I

Appendix C. WDFW PHS Report

Wetland Delineation Report 12/9/2024



Priority Habitats and Species on the Web



Report Date: 10/30/2024, Parcel ID: <u>14192.0002</u>

PHS Species/Habitats Overview:

Occurence Name	Federal Status	State Status	Sensitive Location
Wetlands	N/A	N/A	No
Freshwater Pond	N/A	N/A	No
Freshwater Emergent Wetland	N/A	N/A	No
Shrubsteppe	N/A	N/A	No

PHS Species/Habitats Details:

Wetlands	
Priority Area	Aquatic Habitat
Site Name	MEDICAL LAKE WETLANDS
Accuracy	1/4 mile (Quarter Section)
Notes	WATERFOWL CONCENTRATION AREAS ASSOCIATED WITH WETLANDS AND OPEN WATER USED DURING MIGRATION AND BREEDING. TIGER SALAMANDER OCCURENCE DOCUMENTED. GREAT BLUE HERON NESTING AND FORAGING. PAINTED TURTLE OCCURENCE DOCUMENTED. FURBEARER USE.
Source Record	903119
Source Dataset	PHSREGION
Source Name	HICKMAN, JERRY
Source Entity	WA Dept. of Fish and Wildlife
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Freshwater Pond	
Priority Area	Aquatic Habitat
Site Name	N/A
Accuracy	NA
Notes	Wetland System: Freshwater Pond - NWI Code: PAB3H
Source Dataset	NWIWetlands
Source Name	Not Given
Source Entity	US Fish and Wildlife Service
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Freshwater Pond		
Priority Area	Aquatic Habitat	
Site Name	N/A	
Accuracy	NA	
Notes	Wetland System: Freshwater Pond - NWI Code: PAB3H	
Source Dataset	NWIWetlands	
Source Name	Not Given	
Source Entity	US Fish and Wildlife Service	
Federal Status	N/A	
State Status	N/A	
PHS Listing Status	PHS Listed Occurrence	
Sensitive	N	
SGCN	N	
Display Resolution	AS MAPPED	
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html	
Geometry Type	Polygons	

Freshwater Pond	
Priority Area	Aquatic Habitat
Site Name	N/A
Accuracy	NA
Notes	Wetland System: Freshwater Pond - NWI Code: PAB3H
Source Dataset	NWIWetlands
Source Name	Not Given
Source Entity	US Fish and Wildlife Service
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Freshwater Emergent Wetland	
Priority Area	Aquatic Habitat
Site Name	N/A
Accuracy	NA
Notes	Wetland System: Freshwater Emergent Wetland - NWI Code: PEM1C
Source Dataset	NWIWetlands
Source Name	Not Given
Source Entity	US Fish and Wildlife Service
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Freshwater Emergent Wetland	
Priority Area	Aquatic Habitat
Site Name	N/A
Accuracy	NA
Notes	Wetland System: Freshwater Emergent Wetland - NWI Code: PEM1C
Source Dataset	NWIWetlands
Source Name	Not Given
Source Entity	US Fish and Wildlife Service
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Freshwater Emergent Wetland	
Priority Area	Aquatic Habitat
Site Name	N/A
Accuracy	NA
Notes	Wetland System: Freshwater Emergent Wetland - NWI Code: PEM1F
Source Dataset	NWIWetlands
Source Name	Not Given
Source Entity	US Fish and Wildlife Service
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Freshwater Emergent Wetland	
Priority Area	Aquatic Habitat
Site Name	N/A
Accuracy	NA
Notes	Wetland System: Freshwater Emergent Wetland - NWI Code: PEM1C
Source Dataset	NWIWetlands
Source Name	Not Given
Source Entity	US Fish and Wildlife Service
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Freshwater Emergent Wetland	
Priority Area	Aquatic Habitat
Site Name	N/A
Accuracy	NA
Notes	Wetland System: Freshwater Emergent Wetland - NWI Code: PEM1C
Source Dataset	NWIWetlands
Source Name	Not Given
Source Entity	US Fish and Wildlife Service
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS Listed Occurrence
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
ManagementRecommendations	http://www.ecy.wa.gov/programs/sea/wetlands/bas/index.html
Geometry Type	Polygons

Shrubsteppe	
Priority Area	Habitat Feature
Site Name	Spokane County Presumptive Shrubsteppe
Accuracy	NA
Notes	General location of Shrubsteppe. Confirm or refute with site-scale info. WDFW recommends using site-scale info to inform site-scale land use decisions. Expect that on-the-ground conditions (e.g., boundaries) will vary from the map.
Source Record	920846
Source Name	Keith Folkerts, WDFW
Source Entity	WA Dept. of Fish and Wildlife
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS LISTED OCCURRENCE
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
Geometry Type	Polygons

Shrubsteppe	
Priority Area	Habitat Feature
Site Name	Spokane County Presumptive Shrubsteppe
Accuracy	NA
Notes	General location of Shrubsteppe. Confirm or refute with site-scale info. WDFW recommends using site-scale info to inform site-scale land use decisions. Expect that on-the-ground conditions (e.g., boundaries) will vary from the map.
Source Record	920846
Source Name	Keith Folkerts, WDFW
Source Entity	WA Dept. of Fish and Wildlife
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS LISTED OCCURRENCE
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
Geometry Type	Polygons

Shrubsteppe	
Priority Area	Habitat Feature
Site Name	Spokane County Shrubsteppe
Accuracy	NA
Notes	General location of Shrubsteppe. Confirm or refute with site-scale info. WDFW recommends using site-scale info to inform site-scale land use decisions. Expect that on-the-ground conditions (e.g., boundaries) will vary from the map.
Source Record	920847
Source Name	Keith Folkerts, WDFW
Source Entity	WA Dept. of Fish and Wildlife
Federal Status	N/A
State Status	N/A
PHS Listing Status	PHS LISTED OCCURRENCE
Sensitive	N
SGCN	N
Display Resolution	AS MAPPED
Geometry Type	Polygons

DISCLAIMER. This report includes information that the Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. It is not an attempt to provide you with an official agency response as to the impacts of your project on fish and wildlife. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of priority resources. Locations of fish and wildlife resources are subject to variation caused by disturbance, changes in season and weather, and other factors. WDFW does not recommend using reports more than six months old.